

Data Path : Z:\HPCHEM1\HPLC_L\Data\HL022712\
 Data File : HL002015.D
 Signal(s) : VWD1A.CH
 Acq On : 27-Feb-2012, 20:22
 Operator : HLM
 Sample : 8330-ICV
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Integration File: events.e
 Quant Time: Mar 22 17:38:55 2012
 Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL022712.M
 Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 QLast Update : Tue Feb 28 14:18:34 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound		R.T.	Response	Conc	Units

System Monitoring Compounds					
Target Compounds					
2) T	HMX	0.922	4020551	1017.320	ug/L
3) T	RDX	1.773	5589053	1060.378	ug/L
4) T	1,3,5-Trinitrobenzene	2.765f	12472878	1023.213	ug/L
5) T	Tetryl	6.277f	9571819	1102.825	ug/L
6) T	2,4,6-Trinitrotoluene	6.658f	12331827	1093.096	ug/L
7) T	2-Amino-4,6-dinitroto...	7.150f	11265836	1043.512	ug/L
8) T	4-Amino-2,6-dinitroto...	7.488f	7650641	1012.619	ug/L
9) T	2,4-Dinitrotoluene	8.342f	15598673	958.169	ug/L
10) T	2,6-Dinitrotoluene	8.731f	8611513	972.800	ug/L
11) T	1,3-Dinitrobenzene	3.677f	17049786	1011.540	ug/L
12) T	Nitrobenzene	4.947f	10557693	985.016	ug/L
13) T	2-Nitrotoluene	12.058f	6832271	996.188	ug/L
14) T	3-Nitrotoluene	14.124f	7088875	973.331	ug/L
15) T	4-Nitrotoluene	12.829f	5672677	1013.247	ug/L
16) T	3,5-Dinitroaniline	4.014f	14019442	871.192	ug/L
18) T	PETN	18.970	9200725	966.063	ug/L


(f)=RT Delta > 1/2 Window


(m)=manual int.

Data Path : Z:\HPCHEM1\HPLC_L\Data\HL022712\
Data File : HL002015.D
Signal(s) : VWD1A.CH
Acq On : 27-Feb-2012, 20:22
Operator : HLM
Sample : 8330-ICV
Misc :
ALS Vial : 14 Sample Multiplier: 1

Integration File: events.e
Quant Time: Mar 22 17:38:55 2012
Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL022712.M
Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
QLast Update : Tue Feb 28 14:18:34 2012
Response via : Initial Calibration
Integrator: ChemStation


Volume Inj. :
Signal Phase :
Signal Info :






#1 4-Nitroaniline

R.T.: 0.000 min
 Exp R.T.: 1.389 min
 Response: 0
 Conc: N.D.




#2 HMX

R.T.: 0.922 min
 Delta R.T.: -0.006 min
 Response: 4020551
 Conc: 1017.32 ug/L




#3 RDX

R.T.: 1.773 min
 Delta R.T.: -0.010 min
 Response: 5589053
 Conc: 1060.38 ug/L




#4 1,3,5-Trinitrobenzene

R.T.: 2.765 min
 Delta R.T.: -0.015 min
 Response: 12472878
 Conc: 1023.21 ug/L




#5 Tetryl

R.T.: 6.277 min
Delta R.T.: -0.032 min
Response: 9571819
Conc: 1102.83 ug/L




#6 2,4,6-Trinitrotoluene

R.T.: 6.658 min
Delta R.T.: -0.034 min
Response: 12331827
Conc: 1093.10 ug/L




#7 2-Amino-4,6-dinitrotoluene

R.T.: 7.150 min
Delta R.T.: -0.037 min
Response: 11265836
Conc: 1043.51 ug/L




#8 4-Amino-2,6-dinitrotoluene

R.T.: 7.488 min
Delta R.T.: -0.039 min
Response: 7650641
Conc: 1012.62 ug/L




#9 2,4-Dinitrotoluene

R.T.: 8.342 min
Delta R.T.: -0.044 min
Response: 15598673
Conc: 958.17 ug/L




#10 2,6-Dinitrotoluene

R.T.: 8.731 min
Delta R.T.: -0.046 min
Response: 8611513
Conc: 972.80 ug/L




#11 1,3-Dinitrobenzene

R.T.: 3.677 min
Delta R.T.: -0.020 min
Response: 17049786
Conc: 1011.54 ug/L




#12 Nitrobenzene

R.T.: 4.947 min
Delta R.T.: -0.027 min
Response: 10557693
Conc: 985.02 ug/L




#13 2-Nitrotoluene

R.T.: 12.058 min
Delta R.T.: -0.061 min
Response: 6832271
Conc: 996.19 ug/L




#14 3-Nitrotoluene

R.T.: 14.124 min
Delta R.T.: -0.073 min
Response: 7088875
Conc: 973.33 ug/L




#15 4-Nitrotoluene

R.T.: 12.829 min
Delta R.T.: -0.070 min
Response: 5672677
Conc: 1013.25 ug/L



#16 3,5-Dinitroaniline

R.T.: 4.014 min
Delta R.T.: -0.024 min
Response: 14019442
Conc: 871.19 ug/L



#18 PETN

R.T.: 18.970 min
Delta R.T.: -0.099 min
Response: 9200725
Conc: 966.06 ug/L