

Data Path : S:\HPCHEM1\HPLC_L\Data\HL022713\
Data File : HL005061.D
Signal(s) : VWD1A.CH
Acq On : 27-Feb-2013, 10:14
Operator : QM
Sample : HSTDCCC005
Misc :
ALS Vial : 1 Sample Multiplier: 1

Integration File: autoint1.e
Quant Time: Mar 01 00:16:47 2013
Quant Method : Z:\HPCHEM1\HPLC_L\METHODS\HL022513.M
Quant Title :
QLast Update : Mon Feb 25 11:05:30 2013
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 50 ul
Signal Phase : ZORBAX Extend-C18
Signal Info : 4.6 X 100mm 3.5-Micron 80A

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(Min)
1 S	4-Nitroaniline	3.888	4.069 E6	-4.7	102	0.02
2 T	Nitroglycerin	8.025	8.058 E6	-0.4	101	0.12

Evaluate Continuing Calibration Report - Not Founds

(#) = Out of Range

SPCC's out = 0 CCC's out = 0