

Method Path : Z:\HPCHEM1\HPLC_L\METHODS\
 Method File : HL031315.M
 Title :
 Last Update : Mon Mar 16 15:59:59 2015
 Response Via : Initial Calibration

Calibration Files

500 =HL006119.D 2000 =HL006117.D 1000 =HL006118.D
 200 =HL006120.D 100 =HL006121.D

	Compound	500	2000	1000	200	100	Avg		%RSD

1) S	4-Nitroaniline	1.227	1.309	1.412	1.509	1.382	1.368	E4	7.79
2) T	HMX	5.607	5.920	6.347	6.659	6.512	6.209	E3	7.02
3) T	RDX	1.227	1.309	1.412	1.509	1.382	1.368	E4	7.79
4) T	1,3,5-Trinitrobenzene	1.419	1.499	1.644	1.697	1.721	1.596	E4	8.23
5) T	1,3-Dinitrobenzene	2.126	2.268	2.428	2.530	2.463	2.363	E4	6.93
6) T	3,5-Dinitroaniline	1.643	1.764	1.895	1.956	1.965	1.845	E4	7.50
7) T	Nitrobenzene	1.253	1.343	1.439	1.508	1.383	1.385	E4	6.97
8) T	Tetryl	7.924	6.635	8.967	7.315	9.439	8.056	E3	14.33
9) T	2,4,6-Trinitrotoluene	1.318	1.435	1.544	1.554	1.471	1.465	E4	6.55
10) T	2-Amino-4,6-dinitr...	1.393	1.410	1.544	1.596	3.747	1.938	E4	52.38
11) T	4-Amino-2,6-dinitr...	0.898	0.914	0.998	1.041	0.935	0.957	E4	6.29
12) T	2,4-Dinitrotoluene	1.919	2.040	2.177	2.300	2.156	2.118	E4	6.83
13) T	2,6-Dinitrotoluene	1.061	1.093	1.176	1.229	1.217	1.155	E4	6.47
14) T	2-Nitrotoluene	2.456	2.352	2.596	2.762	3.981	2.829	E4	23.40
15) T	4-Nitrotoluene	1.603	1.855	1.943	1.712	1.451	1.713	E4	11.45
16) T	3-Nitrotoluene	2.522	2.696	2.918	3.004	3.200	2.868	E4	9.23
17) T	PETN	0.952	1.022	1.092	1.137	0.993	1.039	E4	7.20

(#) = Out of Range