

Data File : H:\VOL1\HPLC\HPLC L\120316\HL002156.D Vial: 34
 Acq On : 17-Mar-2012, 06:48 Operator: HLM
 Sample : D1801-11MS1 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : events.e
 Quant Time: Mar 19 11:17 2012 Quant Results File: HL022712.RES

Quant Method : H:\VOL1\HPLC\HPLC L\METHODS\HL022712.M (Chemstation Integrator)
 Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 Last Update : Mon Mar 19 11:16:51 2012
 Response via : Initial Calibration
 DataAcq Meth : 8330AGIP.M

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc Units
----------	------	----------	------------

System Monitoring Compounds

1) S	4-Nitroaniline	1.39	767121	202.882 ug/L
Spiked Amount 300.000		Range 37 - 149	Recovery	= 67.63%

Target Compounds

2) T	HMX	0.93	427551	108.183 ug/L
3) T	RDX	1.79	558779	106.014 ug/L
4) T	1,3,5-Trinitrobenzene	2.78	1516988	124.446 ug/L
5) T	Tetryl	6.34	998584	115.053 ug/L
6) T	2,4,6-Trinitrotoluene	6.71f	1600403	141.860 ug/L
7) T	2-Amino-4,6-dinitrotoluene	7.21f	1329971	123.190 ug/L
8) T	4-Amino-2,6-dinitrotoluene	7.53f	967935	128.113 ug/L
9) T	2,4-Dinitrotoluene	8.41f	1965484	120.732 ug/L
11) T	1,3-Dinitrobenzene	3.70f	2145175	127.270 ug/L
12) T	Nitrobenzene	4.98f	1314671	122.657 ug/L
13) T	2-Nitrotoluene	12.15f	836945	122.032 ug/L
14) T	3-Nitrotoluene	14.25f	880388	120.881 ug/L
15) T	4-Nitrotoluene	12.96f	720589	128.711 ug/L
16) T	3,5-Dinitroaniline	4.04f	1697942	105.513 ug/L
18) T	PETN	19.11f	1113582	116.924 ug/L

Data File : H:\VOL1\HPLC\HPLC L\120316\HL002156.D

Vial: 34

Acq On : 17-Mar-2012, 06:48

Operator: HLM

Sample : D1801-11MS1

Inst : G1314A

Misc :

Multiplr: 1.00

IntFile : events.e

Quant Time: Mar 19 11:17 2012 Quant Results File: HL022712.RES

Quant Method : H:\VOL1\HPLC\HPLC L\METHODS\HL022712.M (Chemstation Integrator)

Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)

Last Update : Mon Mar 19 11:16:51 2012


Response via : Multiple Level Calibration


DataAcq Meth : 8330AGIP.M

Volume Inj. :

Signal Phase :


Signal Info :






#2 HMX

R.T.: 0.931 min
Delta R.T.: -0.001 min
Response: 427551
Conc: 108.18 ug/L




#3 RDX

R.T.: 1.785 min
Delta R.T.: -0.008 min
Response: 558779
Conc: 106.01 ug/L




#4 1,3,5-Trinitrobenzene

R.T.: 2.784 min
Delta R.T.: -0.013 min
Response: 1516988
Conc: 124.45 ug/L




#5 Tetryl

R.T.: 6.343 min
Delta R.T.: -0.027 min
Response: 998584
Conc: 115.05 ug/L




#6 2,4,6-Trinitrotoluene

R.T.: 6.708 min
Delta R.T.: -0.042 min
Response: 1600403
Conc: 141.86 ug/L




#7 2-Amino-4,6-dinitrotoluene

R.T.: 7.213 min
Delta R.T.: -0.037 min
Response: 1329971
Conc: 123.19 ug/L




#8 4-Amino-2,6-dinitrotoluene

R.T.: 7.534 min
Delta R.T.: -0.064 min
Response: 967935
Conc: 128.11 ug/L




#9 2,4-Dinitrotoluene

R.T.: 8.414 min
Delta R.T.: -0.046 min
Response: 1965484
Conc: 120.73 ug/L




#11 1,3-Dinitrobenzene

R.T.: 3.703 min
Delta R.T.: -0.019 min
Response: 2145175
Conc: 127.27 ug/L




#12 Nitrobenzene

R.T.: 4.982 min
Delta R.T.: -0.027 min
Response: 1314671
Conc: 122.66 ug/L




#13 2-Nitrotoluene

R.T.: 12.155 min
Delta R.T.: -0.082 min
Response: 836945
Conc: 122.03 ug/L




#14 3-Nitrotoluene

R.T.: 14.248 min
Delta R.T.: -0.089 min
Response: 880388
Conc: 120.88 ug/L




#15 4-Nitrotoluene

R.T.: 12.959 min
Delta R.T.: -0.062 min
Response: 720589
Conc: 128.71 ug/L



#16 3,5-Dinitroaniline

R.T.: 4.042 min
Delta R.T.: -0.024 min
Response: 1697942
Conc: 105.51 ug/L



#18 PETN

R.T.: 19.112 min
Delta R.T.: -0.172 min
Response: 1113582
Conc: 116.92 ug/L