

Method Path : Z:\HPCHEM1\HPLC_L\METHODS\
 Method File : HL031615.M
 Title :
 Last Update : Tue Mar 17 09:09:29 2015
 Response Via : Initial Calibration

Calibration Files

500 =HL006148.D 2000 =HL006139.D 1000 =HL006140.D
 200 =HL006142.D 100 =HL006146.D

	Compound	500	2000	1000	200	100	Avg		%RSD
1) S	4-Nitroaniline	1.382	1.243	1.238	1.473	1.337	1.335	E4	7.42
2) T	HMX	5.881	5.629	5.703	5.834	6.244	5.858	E3	4.06
3) T	RDX	1.382	1.243	1.238	1.473	1.337	1.335	E4	7.42
4) T	1,3,5-Trinitrobenzene	1.480	1.431	1.442	1.490	1.537	1.476	E4	2.85
5) T	1,3-Dinitrobenzene	2.289	2.254	2.244	2.255	2.341	2.277	E4	1.75
6) T	3,5-Dinitroaniline	1.785	1.778	1.766	1.772	1.832	1.786	E4	1.47
7) T	Nitrobenzene	1.357	1.354	1.339	1.356	1.409	1.363	E4	1.98
8) T	Tetryl	1.048	0.886	0.934	1.057	1.110	1.007	E4	9.28
9) T	2,4,6-Trinitrotoluene	1.490	1.393	1.437	1.443	1.481	1.449	E4	2.67
10) T	2-Amino-4,6-dinitr...	1.588	1.438	1.523	1.705	1.862	1.623	E4	10.17
11) T	4-Amino-2,6-dinitr...	1.009	0.950	0.967	1.049	1.022	0.999	E4	4.07
12) T	2,4-Dinitrotoluene	2.115	2.094	2.050	2.096	2.110	2.093	E4	1.24
13) T	2,6-Dinitrotoluene	1.100	1.076	1.059	1.104	1.085	1.085	E4	1.69
14) T	2-Nitrotoluene	2.402	2.396	2.363	2.825	3.517	2.701	E4	18.31
15) T	4-Nitrotoluene	1.794	1.918	1.881	1.576	1.196	1.673	E4	17.81
16) T	3-Nitrotoluene	2.742	2.734	2.705	2.572	3.164	2.783	E4	8.03
17) T	PETN	1.196	1.156	1.179	1.095	1.328	1.191	E4	7.19

(#) = Out of Range