

Data Path : S:\HPCHEM1\HPLC_L\Data\HL032712\
 Data File : HL002381.D
 Signal(s) : VWD1A.CH
 Acq On : 28-Mar-2012, 00:24
 Operator : HLM
 Sample : 8330-CCV
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Integration File: events.e
 Quant Time: Apr 02 05:08:00 2012
 Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL022712.M
 Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 QLast Update : Tue Feb 28 14:18:34 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
1) S 4-Nitroaniline	1.380	3993702	1056.224 ug/L
Spiked Amount 300.000	Range 37 - 149	Recovery	= 352.07%#
Target Compounds			
2) T HMX	0.921	4147708	1049.495 ug/L
3) T RDX	1.771	5660336	1073.902 ug/L
4) T 1,3,5-Trinitrobenzene	2.759	6073192	498.214 ug/L
5) T Tetryl	6.263	9017678	1038.979 ug/L
6) T 2,4,6-Trinitrotoluene	6.637	5810445	515.039 ug/L
7) T 2-Amino-4,6-dinitroto...	7.129	5719263	529.754 ug/L
8) T 4-Amino-2,6-dinitroto...	7.462	3695489	489.125 ug/L
9) T 2,4-Dinitrotoluene	8.311	8015756	492.378 ug/L
10) T 2,6-Dinitrotoluene	8.694	4314674	487.408 ug/L
11) T 1,3-Dinitrobenzene	3.666	8523694	505.699 ug/L
12) T Nitrobenzene	4.928	5393727	503.226 ug/L
13) T 2-Nitrotoluene	12.001	6942906	1012.319 ug/L
14) T 3-Nitrotoluene	14.057	7399477	1015.978 ug/L
15) T 4-Nitrotoluene	12.771	5816792	1038.989 ug/L
16) T 3,5-Dinitroaniline	4.008	16794693	1043.650 ug/L
18) T PETN	18.944	22847782	2398.984 ug/L

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : S:\HPCHEM1\HPLC_L\Data\HL032712\
Data File : HL002381.D
Signal(s) : VWD1A.CH
Acq On : 28-Mar-2012, 00:24
Operator : HLM
Sample : 8330-CCV
Misc :
ALS Vial : 2 Sample Multiplier: 1

Integration File: events.e
Quant Time: Apr 02 05:08:00 2012
Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL022712.M
Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
QLast Update : Tue Feb 28 14:18:34 2012
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. :
Signal Phase :
Signal Info :

