

Data Path : S:\HPCHEM1\HPLC_L\Data\HL032712\
 Data File : HL002394.D
 Signal(s) : VWD1A.CH
 Acq On : 28-Mar-2012, 06:24
 Operator : HLM
 Sample : 8330-CCV
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Integration File: events.e
 Quant Time: Apr 02 05:09:01 2012
 Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL022712.M
 Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 QLast Update : Tue Mar 27 13:48:29 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
1) S 4-Nitroaniline	1.378	3982341	1053.219 ug/L
Spiked Amount 300.000	Range 37 - 149	Recovery	= 351.07%#
Target Compounds			
2) T HMX	0.920	4165104	1053.896 ug/L
3) T RDX	1.770	5651738	1072.271 ug/L
4) T 1,3,5-Trinitrobenzene	2.756	6112866	501.469 ug/L
5) T Tetryl	6.264	8981204	1034.777 ug/L
6) T 2,4,6-Trinitrotoluene	6.635	5814647	515.412 ug/L
7) T 2-Amino-4,6-dinitroto...	7.130	5718677	529.700 ug/L
8) T 4-Amino-2,6-dinitroto...	7.463	3699367	489.639 ug/L
9) T 2,4-Dinitrotoluene	8.310	8044543	494.147 ug/L
10) T 2,6-Dinitrotoluene	8.695	4317326	487.707 ug/L
11) T 1,3-Dinitrobenzene	3.664	8574494	508.713 ug/L
12) T Nitrobenzene	4.926	5390231	502.900 ug/L
13) T 2-Nitrotoluene	11.998	6992103	1019.493 ug/L
14) T 3-Nitrotoluene	14.055	7450223	1022.946 ug/L
15) T 4-Nitrotoluene	12.768	5875306	1049.441 ug/L
16) T 3,5-Dinitroaniline	4.007	16871790	1048.441 ug/L
18) T PETN	18.948	22960930	2410.865 ug/L

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : S:\HPCHEM1\HPLC_L\Data\HL032712\
Data File : HL002394.D
Signal(s) : VWD1A.CH
Acq On : 28-Mar-2012, 06:24
Operator : HLM
Sample : 8330-CCV
Misc :
ALS Vial : 2 Sample Multiplier: 1

Integration File: events.e
Quant Time: Apr 02 05:09:01 2012
Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL022712.M
Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
QLast Update : Tue Mar 27 13:48:29 2012
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. :
Signal Phase :
Signal Info :

