

Data Path : S:\HPCHEM1\HPLC_L\Data\HL032712\
 Data File : HL002403.D
 Signal(s) : VWD1A.CH
 Acq On : 28-Mar-2012, 10:34
 Operator : HLM
 Sample : D1923-08MS1
 Misc :
 ALS Vial : 48 Sample Multiplier: 1

Integration File: events.e
 Quant Time: Apr 02 05:09:39 2012
 Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL022712.M
 Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 QLast Update : Tue Mar 27 13:48:29 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
1) S 4-Nitroaniline	1.376	587224	155.305 ug/L
Spiked Amount 300.000	Range 37 - 149	Recovery =	51.77%
Target Compounds			
2) T HMX	0.920	565498	143.088 ug/L
3) T RDX	1.768	592658	112.442 ug/L
4) T 1,3,5-Trinitrobenzene	2.755	1744455	143.106 ug/L
5) T Tetryl	6.262	1081261	124.578 ug/L
6) T 2,4,6-Trinitrotoluene	6.633	1727895	153.161 ug/L
7) T 2-Amino-4,6-dinitroto...	7.127	1630650	151.041 ug/L
8) T 4-Amino-2,6-dinitroto...	7.464	1112940	147.306 ug/L
9) T 2,4-Dinitrotoluene	8.309	2271595	139.536 ug/L
10) T 2,6-Dinitrotoluene	8.695	1197501	135.276 ug/L
11) T 1,3-Dinitrobenzene	3.663	2424368	143.834 ug/L
12) T Nitrobenzene	4.925	1486530	138.691 ug/L
13) T 2-Nitrotoluene	11.980f	1257429	183.341 ug/L m
14) T 3-Nitrotoluene	14.055	990504	136.000 ug/L m
15) T 4-Nitrotoluene	12.759	914471	163.342 ug/L m
16) T 3,5-Dinitroaniline	4.004	1857742	115.443 ug/L
18) T PETN	18.963	1135530	119.229 ug/L m

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : S:\HPCHEM1\HPLC_L\Data\HL032712\
Data File : HL002403.D
Signal(s) : VWD1A.CH
Acq On : 28-Mar-2012, 10:34
Operator : HLM
Sample : D1923-08MS1
Misc :
ALS Vial : 48 Sample Multiplier: 1

Integration File: events.e
Quant Time: Apr 02 05:09:39 2012
Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL022712.M
Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
QLast Update : Tue Mar 27 13:48:29 2012
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. :
Signal Phase :
Signal Info :

