

Data Path : S:\HPCHEM1\HPLC_L\Data\HL032712\
 Data File : HL002405.D
 Signal(s) : VWD1A.CH
 Acq On : 28-Mar-2012, 11:30
 Operator : HLM
 Sample : D1923-09MSD1
 Misc :
 ALS Vial : 50 Sample Multiplier: 1

Integration File: events.e
 Quant Time: Apr 02 05:09:50 2012
 Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL022712.M
 Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 QLast Update : Tue Mar 27 13:48:29 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound		R.T.	Response	Conc Units

System Monitoring Compounds				
1) S	4-Nitroaniline	1.379	677467	179.171 ug/L
Spiked Amount 300.000		Range 37 - 149	Recovery =	59.72%
Target Compounds				
2) T	HMX	0.922	558921	141.424 ug/L
3) T	RDX	1.771	579591	109.962 ug/L
4) T	1,3,5-Trinitrobenzene	2.758	1849094	151.690 ug/L m
5) T	Tetryl	6.266	1141462	131.515 ug/L m
6) T	2,4,6-Trinitrotoluene	6.635	1769237	156.826 ug/L m
7) T	2-Amino-4,6-dinitroto...	7.130	1605326	148.695 ug/L m
8) T	4-Amino-2,6-dinitroto...	7.467	1054602	139.584 ug/L m
9) T	2,4-Dinitrotoluene	8.313	2357074	144.786 ug/L
10) T	2,6-Dinitrotoluene	8.700	1264176	142.808 ug/L
11) T	1,3-Dinitrobenzene	3.667	2573665	152.692 ug/L
12) T	Nitrobenzene	4.927	1543926	144.046 ug/L m
13) T	2-Nitrotoluene	12.011	1047586	152.745 ug/L
14) T	3-Nitrotoluene	14.061	1085431	149.034 ug/L
15) T	4-Nitrotoluene	12.772	884854	158.052 ug/L
16) T	3,5-Dinitroaniline	4.008	1998396	124.184 ug/L
18) T	PETN	18.988	1311790	137.736 ug/L m

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : S:\HPCHEM1\HPLC_L\Data\HL032712\
Data File : HL002405.D
Signal(s) : VWD1A.CH
Acq On : 28-Mar-2012, 11:30
Operator : HLM
Sample : D1923-09MSD1
Misc :
ALS Vial : 50 Sample Multiplier: 1

Integration File: events.e
Quant Time: Apr 02 05:09:50 2012
Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL022712.M
Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
QLast Update : Tue Mar 27 13:48:29 2012
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. :
Signal Phase :
Signal Info :

