

Data Path : S:\HPCHEM1\HPLC_L\Data\HL032712\
 Data File : HL002407.D
 Signal(s) : VWD1A.CH
 Acq On : 28-Mar-2012, 12:25
 Operator : HLM
 Sample : 8330-CCV
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Integration File: events.e
 Quant Time: Apr 02 05:10:00 2012
 Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL022712.M
 Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 QLast Update : Tue Mar 27 13:48:29 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
1) S 4-Nitroaniline	1.381	3973403	1050.856 ug/L
Spiked Amount 300.000	Range 37 - 149	Recovery	= 350.29%#
Target Compounds			
2) T HMX	0.922	4179985	1057.662 ug/L
3) T RDX	1.774	5690183	1079.565 ug/L
4) T 1,3,5-Trinitrobenzene	2.762	6196803	508.355 ug/L
5) T Tetryl	6.277	9016515	1038.845 ug/L
6) T 2,4,6-Trinitrotoluene	6.647	5833461	517.079 ug/L
7) T 2-Amino-4,6-dinitroto...	7.144	5741757	531.837 ug/L
8) T 4-Amino-2,6-dinitroto...	7.476	3677238	486.709 ug/L
9) T 2,4-Dinitrotoluene	8.325	8031707	493.358 ug/L
10) T 2,6-Dinitrotoluene	8.710	4260286	481.263 ug/L
11) T 1,3-Dinitrobenzene	3.670	8633039	512.186 ug/L
12) T Nitrobenzene	4.934	5387901	502.683 ug/L
13) T 2-Nitrotoluene	12.011	6924165	1009.587 ug/L
14) T 3-Nitrotoluene	14.071	7432413	1020.500 ug/L
15) T 4-Nitrotoluene	12.783	5938546	1060.737 ug/L
16) T 3,5-Dinitroaniline	4.014	16986088	1055.544 ug/L
18) T PETN	18.983	22859537	2400.219 ug/L

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : S:\HPCHEM1\HPLC_L\Data\HL032712\
Data File : HL002407.D
Signal(s) : VWD1A.CH
Acq On : 28-Mar-2012, 12:25
Operator : HLM
Sample : 8330-CCV
Misc :
ALS Vial : 2 Sample Multiplier: 1

Integration File: events.e
Quant Time: Apr 02 05:10:00 2012
Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL022712.M
Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
QLast Update : Tue Mar 27 13:48:29 2012
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. :
Signal Phase :
Signal Info :

