

Data File : H:\VOL1\HPLC\HPLC L\120327\HL002382.D Vial: 3
Acq On : 28-Mar-2012, 00:51 Operator: HLM
Sample : 8330NG-CCV Inst : G1314A
Misc : Multiplr: 1.00
IntFile : events.e

Method : H:\VOL1\HPLC\HPLC L\METHODS\HL022712.M (Chemstation Integrator)
Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
Last Update : Tue Feb 28 14:18:34 2012
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
17 T Nitroglycerin	56.317	56.745	-0.8	0#	-0.01

Data File : H:\VOL1\HPLC\HPLC L\120327\HL002382.D
 Acq On : 28-Mar-2012, 00:51
 Sample : 8330NG-CCV
 Misc :
 IntFile : events.e

Vial: 3
 Operator: HLM
 Inst : G1314A
 Multiplr: 1.00

Method : H:\VOL1\HPLC\HPLC L\METHODS\HL022712.M (Chemstation Integrator)
 Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 Last Update : Tue Feb 28 14:18:34 2012
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	3.781	0.000 E3	100.0#	0#	-1.38#
2 T	HMX	3.952	0.000 E3	100.0#	0#	-0.92#
3 T	RDX	5.271	0.000 E3	100.0#	0#	-1.77#
4 T	1,3,5-Trinitrobenzene	12.190	0.000 E3	100.0#	0#	-2.76#
5 T	Tetryl	8.679	0.000 E3	100.0#	0#	-6.27#
6 T	2,4,6-Trinitrotoluene	11.282	0.000 E3	100.0#	0#	-6.65#
7 T	2-Amino-4,6-dinitrotoluene	10.796	0.000 E3	100.0#	0#	-7.14#
8 T	4-Amino-2,6-dinitrotoluene	7.555	0.000 E3	100.0#	0#	-7.47#
9 T	2,4-Dinitrotoluene	16.280	0.000 E3	100.0#	0#	-8.33#
10 T	2,6-Dinitrotoluene	8.852	0.000 E3	100.0#	0#	-8.72#
11 T	1,3-Dinitrobenzene	16.855	0.000 E3	100.0#	0#	-3.67#
12 T	Nitrobenzene	10.718	0.000 E3	100.0#	0#	-4.94#
13 T	2-Nitrotoluene	6.858	0.000 E3	100.0#	0#	-12.04#
14 T	3-Nitrotoluene	7.283	0.000 E3	100.0#	0#	-14.10#
15 T	4-Nitrotoluene	5.599	0.000 E3	100.0#	0#	-12.81#
16 T	3,5-Dinitroaniline	16.092	0.000 E3	100.0#	0#	-4.01#
18 T	PETN	9.524	0.000 E3	100.0#	0#	-18.98#