

Data File : H:\VOL1\HPLC\HPLC L\120327\HL002407.D Vial: 2
 Acq On : 28-Mar-2012, 12:25 Operator: HLM
 Sample : 8330-CCV Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : events.e

Method : H:\VOL1\HPLC\HPLC L\METHODS\HL022712.M (Chemstation Integrator)
 Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 Last Update : Tue Feb 28 14:18:34 2012
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	3.781	3.973 E3	-5.1	0#	0.00
2 T	HMX	3.952	4.180 E3	-5.8	0#	0.00
3 T	RDX	5.271	5.690 E3	-7.9	0#	0.00
4 T	1,3,5-Trinitrobenzene	12.190	12.394 E3	-1.7	0#	0.00
5 T	Tetryl	8.679	9.017 E3	-3.9	0#	0.00
6 T	2,4,6-Trinitrotoluene	11.282	11.667 E3	-3.4	0#	0.00
7 T	2-Amino-4,6-dinitrotoluene	10.796	11.484 E3	-6.4	0#	0.00
8 T	4-Amino-2,6-dinitrotoluene	7.555	7.354 E3	2.7	0#	0.00
9 T	2,4-Dinitrotoluene	16.280	16.063 E3	1.3	0#	0.00
10 T	2,6-Dinitrotoluene	8.852	8.521 E3	3.7	0#	0.00
11 T	1,3-Dinitrobenzene	16.855	17.266 E3	-2.4	0#	0.00
12 T	Nitrobenzene	10.718	10.776 E3	-0.5	0#	0.00
13 T	2-Nitrotoluene	6.858	6.924 E3	-1.0	0#	-0.03
14 T	3-Nitrotoluene	7.283	7.432 E3	-2.0	0#	-0.03
15 T	4-Nitrotoluene	5.599	5.939 E3	-6.1	0#	-0.03
16 T	3,5-Dinitroaniline	16.092	16.986 E3	-5.6	0#	0.00
18 T	PETN	9.524	9.144 E3	4.0	0#	0.00

Data File : H:\VOL1\HPLC\HPLC L\120327\HL002407.D Vial: 2
Acq On : 28-Mar-2012, 12:25 Operator: HLM
Sample : 8330-CCV Inst : G1314A
Misc : Multiplr: 1.00
IntFile : events.e

Method : H:\VOL1\HPLC\HPLC L\METHODS\HL022712.M (Chemstation Integrator)
Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
Last Update : Tue Feb 28 14:18:34 2012
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
17 T	Nitroglycerin	56.317	0.000	100.0#	0#	-6.20#