

Data File : H:\VOL1\HPLC\HPLC L\120409\HL002713.D Vial: 40
 Acq On : 10-Apr-2012, 09:35 Operator: HLM
 Sample : D2026-01MS1 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : events.e
 Quant Time: Apr 11 16:48 2012 Quant Results File: HL032912.RES

Quant Method : H:\VOL1\HPLC\HPLC L\METHODS\HL032912.M (Chemstation Integrator)
 Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 Last Update : Wed Apr 11 16:43:26 2012
 Response via : Initial Calibration
 DataAcq Meth : 8330AGIP.M

Volume Inj. :
 Signal Phase :
 Signal Info :


Compound	R.T.	Response	Conc Units


System Monitoring Compounds			
Target Compounds			
2) T HMX	0.96f	621640	141.784 ug/L
3) T RDX	1.84f	608668	111.583 ug/L
4) T 1,3,5-Trinitrobenzene	2.88f	1851498	145.449 ug/L
5) T Tetrvl	6.59f	1239139	136.927 ug/L
6) T 2,4,6-Trinitrotoluene	6.94f	1964758	165.170 ug/L
7) T 2-Amino-4,6-dinitrotoluene	7.48f	1663775	148.341 ug/L
8) T 4-Amino-2,6-dinitrotoluene	7.84f	1161007	150.500 ug/L
9) T 2,4-Dinitrotoluene	8.70f	2386565	140.616 ug/L
10) T 2,6-Dinitrotoluene	9.11f	1264691	142.662 ug/L
11) T 1,3-Dinitrobenzene	3.82f	2677969	149.073 ug/L
12) T Nitrobenzene	5.14f	1627520	154.448 ug/L
13) T 2-Nitrotoluene	12.56f	1065055	152.925 ug/L
14) T 3-Nitrotoluene	14.71f	1171785	163.895 ug/L
15) T 4-Nitrotoluene	13.36f	929362	161.302 ug/L
16) T 3,5-Dinitroaniline	4.19f	2101786	125.136 ug/L
18) T PETN	19.93f	1361704	137.516 ug/L

Data File : H:\VOL1\HPLC\HPLC L\120409\HL002713.D Vial: 40
Acq On : 10-Apr-2012, 09:35 Operator: HLM
Sample : D2026-01MS1 Inst : G1314A
Misc : Multiplr: 1.00
IntFile : events.e
Quant Time: Apr 11 16:48 2012 Quant Results File: HL032912.RES

Quant Method : H:\VOL1\HPLC\HPLC L\METHODS\HL032912.M (Chemstation Integrator)
Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
Last Update : Wed Apr 11 16:43:26 2012
Response via : Multiple Level Calibration
DataAcq Meth : 8330AGIP.M


Volume Inj. :
Signal Phase :
Signal Info :






#2 HMX

R.T.: 0.956 min
Delta R.T.: -0.010 min
Response: 621640
Conc: 141.78 ug/L




#3 RDX

R.T.: 1.844 min
Delta R.T.: -0.018 min
Response: 608668
Conc: 111.58 ug/L




#4 1,3,5-Trinitrobenzene

R.T.: 2.878 min
Delta R.T.: -0.024 min
Response: 1851498
Conc: 145.45 ug/L




#5 Tetryl

R.T.: 6.586 min
Delta R.T.: -0.037 min
Response: 1239139
Conc: 136.93 ug/L




#6 2,4,6-Trinitrotoluene

R.T.: 6.943 min
Delta R.T.: -0.048 min
Response: 1964758
Conc: 165.17 ug/L




#7 2-Amino-4,6-dinitrotoluene

R.T.: 7.483 min
Delta R.T.: -0.045 min
Response: 1663775
Conc: 148.34 ug/L




#8 4-Amino-2,6-dinitrotoluene

R.T.: 7.841 min
Delta R.T.: -0.042 min
Response: 1161007
Conc: 150.50 ug/L




#9 2,4-Dinitrotoluene

R.T.: 8.700 min
Delta R.T.: -0.056 min
Response: 2386565
Conc: 140.62 ug/L




#10 2,6-Dinitrotoluene

R.T.: 9.108 min
Delta R.T.: -0.055 min
Response: 1264691
Conc: 142.66 ug/L




#11 1,3-Dinitrobenzene

R.T.: 3.822 min
Delta R.T.: -0.028 min
Response: 2677969
Conc: 149.07 ug/L




#12 Nitrobenzene

R.T.: 5.135 min
Delta R.T.: -0.039 min
Response: 1627520
Conc: 154.45 ug/L




#13 2-Nitrotoluene

R.T.: 12.559 min
Delta R.T.: -0.079 min
Response: 1065055
Conc: 152.93 ug/L




#14 3-Nitrotoluene

R.T.: 14.714 min
Delta R.T.: -0.091 min
Response: 1171785
Conc: 163.90 ug/L




#15 4-Nitrotoluene

R.T.: 13.358 min
Delta R.T.: -0.087 min
Response: 929362
Conc: 161.30 ug/L



#16 3,5-Dinitroaniline

R.T.: 4.189 min
Delta R.T.: -0.032 min
Response: 2101786
Conc: 125.14 ug/L



#18 PETN

R.T.: 19.928 min
Delta R.T.: -0.138 min
Response: 1361704
Conc: 137.52 ug/L