

Evaluate Continuing Calibration Report

Data File : H:\VOL1\HPLC\HPLC L\120409\HL002677.D Vial: 3
 Acq On : 09-Apr-2012, 17:24 Operator: HLM
 Sample : 8330NG-CCV Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : events.e

Method : H:\VOL1\HPLC\HPLC L\METHODS\HL032912.M (Chemstation Integrator)
 Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 Last Update : Thu Mar 29 15:16:02 2012
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
17 T Nitroglycerin	57.100	57.090	0.0	0#	0.00

Data File : H:\VOL1\HPLC\HPLC L\120409\HL002677.D
 Acq On : 09-Apr-2012, 17:24
 Sample : 8330NG-CCV
 Misc :
 IntFile : events.e

Vial: 3
 Operator: HLM
 Inst : G1314A
 Multiplr: 1.00

Method : H:\VOL1\HPLC\HPLC L\METHODS\HL032912.M (Chemstation Integrator)
 Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 Last Update : Thu Mar 29 15:16:02 2012
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	3.809	0.000 E3	100.0#	0#	-1.45#
2 T	HMX	4.384	0.000 E3	100.0#	0#	-0.97#
3 T	RDX	5.455	0.000 E3	100.0#	0#	-1.86#
4 T	1,3,5-Trinitrobenzene	12.730	0.000 E3	100.0#	0#	-2.90#
5 T	Tetryl	9.050	0.000 E3	100.0#	0#	-6.62#
6 T	2,4,6-Trinitrotoluene	11.895	0.000 E3	100.0#	0#	-6.99#
7 T	2-Amino-4,6-dinitrotoluene	11.216	0.000 E3	100.0#	0#	-7.53#
8 T	4-Amino-2,6-dinitrotoluene	7.714	0.000 E3	100.0#	0#	-7.88#
9 T	2,4-Dinitrotoluene	16.972	0.000 E3	100.0#	0#	-8.76#
10 T	2,6-Dinitrotoluene	8.865	0.000 E3	100.0#	0#	-9.16#
11 T	1,3-Dinitrobenzene	17.964	0.000 E3	100.0#	0#	-3.85#
12 T	Nitrobenzene	10.538	0.000 E3	100.0#	0#	-5.17#
13 T	2-Nitrotoluene	6.965	0.000 E3	100.0#	0#	-12.64#
14 T	3-Nitrotoluene	7.150	0.000 E3	100.0#	0#	-14.81#
15 T	4-Nitrotoluene	5.762	0.000 E3	100.0#	0#	-13.45#
16 T	3,5-Dinitroaniline	16.796	0.000 E3	100.0#	0#	-4.22#
18 T	PETN	9.902	0.000 E3	100.0#	0#	-20.07#