

Data File : H:\VOL1\HPLC\HPLC L\120409\HL002702.D Vial: 2
 Acq On : 10-Apr-2012, 04:39 Operator: HLM
 Sample : 8330-CCV Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : events.e

Method : H:\VOL1\HPLC\HPLC L\METHODS\HL032912.M (Chemstation Integrator)
 Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 Last Update : Thu Mar 29 15:16:02 2012
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	3.809	4.031 E3	-5.8	104	0.00
2 T	HMX	4.384	4.378 E3	0.1	108	0.00
3 T	RDX	5.455	5.856 E3	-7.4	106	0.00
4 T	1,3,5-Trinitrobenzene	12.730	12.566 E3	1.3	106	-0.01
5 T	Tetryl	9.050	9.255 E3	-2.3	107	-0.02
6 T	2,4,6-Trinitrotoluene	11.895	12.043 E3	-1.2	106	-0.03
7 T	2-Amino-4,6-dinitrotoluene	11.216	11.727 E3	-4.6	105	-0.03
8 T	4-Amino-2,6-dinitrotoluene	7.714	7.588 E3	1.6	106	-0.03
9 T	2,4-Dinitrotoluene	16.972	16.414 E3	3.3	105	-0.04
10 T	2,6-Dinitrotoluene	8.865	8.922 E3	-0.6	107	-0.04
11 T	1,3-Dinitrobenzene	17.964	17.735 E3	1.3	106	-0.02
12 T	Nitrobenzene	10.538	11.053 E3	-4.9	105	-0.02
13 T	2-Nitrotoluene	6.965	7.139 E3	-2.5	107	-0.05
14 T	3-Nitrotoluene	7.150	7.655 E3	-7.1	107	-0.06
15 T	4-Nitrotoluene	5.762	5.991 E3	-4.0	107	-0.06
16 T	3,5-Dinitroaniline	16.796	17.739 E3	-5.6	106	-0.02
18 T	PETN	9.902	9.356 E3	5.5	105	-0.07

Data File : H:\VOL1\HPLC\HPLC L\120409\HL002702.D Vial: 2
Acq On : 10-Apr-2012, 04:39 Operator: HLM
Sample : 8330-CCV Inst : G1314A
Misc : Multiplr: 1.00
IntFile : events.e

Method : H:\VOL1\HPLC\HPLC L\METHODS\HL032912.M (Chemstation Integrator)
Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
Last Update : Thu Mar 29 15:16:02 2012
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
17 T	Nitroglycerin	57.100	0.000	100.0#	0#	-6.52#