

Data File : H:\VOL1\HPLC\HPLC L\120427\HL002783.D Vial: 42
 Acq On : 27-Apr-2012, 20:50 Operator: HLM
 Sample : PB62607BS1 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : events.e
 Quant Time: Apr 30 17:50 2012 Quant Results File: HL032912.RES

Quant Method : H:\VOL1\HPLC\HPLC L\METHODS\HL032912.M (Chemstation Integrator)
 Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 Last Update : Mon Apr 30 14:06:15 2012
 Response via : Initial Calibration
 DataAcq Meth : 8330AGIP.M

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc Units
----------	------	----------	------------

System Monitoring Compounds

1) S 4-Nitroaniline	1.40	1227187	322.210 ug/L
Spiked Amount 300.000	Range 37 - 149	Recovery	= 107.40%

Target Compounds

2) T HMX	0.94	983555	224.330 ug/L
3) T RDX	1.81	1356848	248.743 ug/L
4) T 1,3,5-Trinitrobenzene	2.81	3064991	240.777 ug/L
5) T Tetrvl	6.38	1883897	208.173 ug/L
6) T 2,4,6-Trinitrotoluene	6.75	3266909	274.637 ug/L
7) T 2-Amino-4,6-dinitrotoluene	7.27	2728140	243.239 ug/L
8) T 4-Amino-2,6-dinitrotoluene	7.61	1932851	250.554 ug/L
9) T 2,4-Dinitrotoluene	8.46	3909484	230.347 ug/L
10) T 2,6-Dinitrotoluene	8.85	2085235	235.222 ug/L
11) T 1,3-Dinitrobenzene	3.73	4282093	238.369 ug/L
12) T Nitrobenzene	5.02	2634020	249.963 ug/L
13) T 2-Nitrotoluene	12.21	1757527	252.353 ug/L
14) T 3-Nitrotoluene	14.31	1822016	254.842 ug/L
15) T 4-Nitrotoluene	12.99	1476405	256.248 ug/L
16) T 3,5-Dinitroaniline	4.09	3413489	203.233 ug/L
18) T PETN	19.30	2240759	226.289 ug/L m

Data File : H:\VOL1\HPLC\HPLC L\120427\HL002783.D

Vial: 42

Acq On : 27-Apr-2012, 20:50

Operator: HLM

Sample : PB62607BS1

Inst : G1314A

Misc :

Multiplr: 1.00

IntFile : events.e

Quant Time: Apr 30 17:50 2012 Quant Results File: HL032912.RES

Quant Method : H:\VOL1\HPLC\HPLC L\METHODS\HL032912.M (Chemstation Integrator)

Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)

Last Update : Mon Apr 30 14:06:15 2012

Response via : Multiple Level Calibration

DataAcq Meth : 8330AGIP.M

Volume Inj. :

Signal Phase :

Signal Info :

