

Data File : H:\VOL1\HPLC\HPLC L\120427\HL002797.D Vial: 53
 Acq On : 28-Apr-2012, 03:08 Operator: HLM
 Sample : PB62621BS1 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : events.e
 Quant Time: Apr 30 17:54 2012 Quant Results File: HL032912.RES

Quant Method : H:\VOL1\HPLC\HPLC L\METHODS\HL032912.M (Chemstation Integrator)
 Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 Last Update : Mon Apr 30 14:06:15 2012
 Response via : Initial Calibration
 DataAcq Meth : 8330AGIP.M

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc Units
----------	------	----------	------------

System Monitoring Compounds

1) S	4-Nitroaniline	1.40	697379	183.104 ug/L
Spiked Amount	300.000	Range	37 - 149	Recovery = 61.03%

Target Compounds

2) T	HMX	0.94	533048	121.578 ug/L
3) T	RDX	1.80	738209	135.331 ug/L
4) T	1,3,5-Trinitrobenzene	2.81	1723733	135.412 ug/L
5) T	Tetryl	6.37	1162113	128.415 ug/L
6) T	2,4,6-Trinitrotoluene	6.74	1757491	147.746 ug/L
7) T	2-Amino-4,6-dinitrotoluene	7.26	1527554	136.196 ug/L
8) T	4-Amino-2,6-dinitrotoluene	7.59	1068744	138.540 ug/L
9) T	2,4-Dinitrotoluene	8.45	2131289	125.576 ug/L
10) T	2,6-Dinitrotoluene	8.83	1138918	128.474 ug/L
11) T	1,3-Dinitrobenzene	3.73	2448298	136.288 ug/L
12) T	Nitrobenzene	5.01	1484343	140.861 ug/L
13) T	2-Nitrotoluene	12.17	938288	134.723 ug/L
14) T	3-Nitrotoluene	14.28	994129	139.047 ug/L
15) T	4-Nitrotoluene	12.97	808641	140.350 ug/L
16) T	3,5-Dinitroaniline	4.08	1938780	115.431 ug/L
18) T	PETN	19.31	1351864	136.522 ug/L m

Data File : H:\VOL1\HPLC\HPLC L\120427\HL002797.D

Vial: 53

Acq On : 28-Apr-2012, 03:08

Operator: HLM

Sample : PB62621BS1

Inst : G1314A

Misc :

Multiplr: 1.00

IntFile : events.e

Quant Time: Apr 30 17:54 2012 Quant Results File: HL032912.RES

Quant Method : H:\VOL1\HPLC\HPLC L\METHODS\HL032912.M (Chemstation Integrator)

Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)

Last Update : Mon Apr 30 14:06:15 2012

Response via : Multiple Level Calibration

DataAcq Meth : 8330AGIP.M

Volume Inj. :

Signal Phase :

Signal Info :

