

Data Path : X:\HPCHEM1\HPLC_L\Data\HL050312\
 Data File : HL002920.D
 Signal(s) : VWD1A.CH
 Acq On : 03-May-2012, 21:51
 Operator : HLM
 Sample : 8330-ICV
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Integration File: events.e
 Quant Time: May 05 07:35:07 2012
 Quant Method : X:\HPCHEM1\HPLC_L\methods\HL050312.M
 Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 QLast Update : Fri May 04 10:29:09 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound		R.T.	Response	Conc	Units

System Monitoring Compounds					
Target Compounds					
2) T	HMX	0.939	5963154	1387.031	ug/L
3) T	RDX	1.804f	5341184	946.947	ug/L
4) T	1,3,5-Trinitrobenzene	2.813f	11788248	939.992	ug/L
5) T	Tetryl	6.380f	8877651	988.366	ug/L
6) T	2,4,6-Trinitrotoluene	6.751f	11759591	978.028	ug/L
7) T	2-Amino-4,6-dinitroto...	7.262f	10639555	965.268	ug/L
8) T	4-Amino-2,6-dinitroto...	7.597f	7230441	955.073	ug/L
9) T	2,4-Dinitrotoluene	8.448f	14666834	903.614	ug/L
10) T	2,6-Dinitrotoluene	8.833f	8188118	911.550	ug/L
11) T	1,3-Dinitrobenzene	3.726f	16138092	918.831	ug/L
12) T	Nitrobenzene	5.003f	10055699	910.269	ug/L
13) T	2-Nitrotoluene	12.185f	6569411	944.942	ug/L
14) T	3-Nitrotoluene	14.271f	6870644	912.561	ug/L
15) T	4-Nitrotoluene	12.961f	5516061	936.090	ug/L
16) T	3,5-Dinitroaniline	4.079f	13089241	733.828	ug/L
18) T	PETN	19.278f	8617312	845.448	ug/L


(f)=RT Delta > 1/2 Window


(m)=manual int.

Data Path : X:\HPCHEM1\HPLC_L\Data\HL050312\
Data File : HL002920.D
Signal(s) : VWD1A.CH
Acq On : 03-May-2012, 21:51
Operator : HLM
Sample : 8330-ICV
Misc :
ALS Vial : 8 Sample Multiplier: 1

Integration File: events.e
Quant Time: May 05 07:35:07 2012
Quant Method : X:\HPCHEM1\HPLC_L\methods\HL050312.M
Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
QLast Update : Fri May 04 10:29:09 2012
Response via : Initial Calibration
Integrator: ChemStation


Volume Inj. :
Signal Phase :
Signal Info :






#1 4-Nitroaniline

R.T.: 0.000 min
Exp R.T.: 1.413 min
Response: 0
Conc: N.D.




#2 HMX

R.T.: 0.939 min
Delta R.T.: -0.006 min
Response: 5963154
Conc: 1387.03 ug/L




#3 RDX

R.T.: 1.804 min
Delta R.T.: -0.013 min
Response: 5341184
Conc: 946.95 ug/L




#4 1,3,5-Trinitrobenzene

R.T.: 2.813 min
Delta R.T.: -0.019 min
Response: 11788248
Conc: 939.99 ug/L




#5 Tetryl

R.T.: 6.380 min
Delta R.T.: -0.044 min
Response: 8877651
Conc: 988.37 ug/L




#6 2,4,6-Trinitrotoluene

R.T.: 6.751 min
Delta R.T.: -0.045 min
Response: 11759591
Conc: 978.03 ug/L




#7 2-Amino-4,6-dinitrotoluene

R.T.: 7.262 min
Delta R.T.: -0.052 min
Response: 10639555
Conc: 965.27 ug/L




#8 4-Amino-2,6-dinitrotoluene

R.T.: 7.597 min
Delta R.T.: -0.052 min
Response: 7230441
Conc: 955.07 ug/L




#9 2,4-Dinitrotoluene

R.T.: 8.448 min
Delta R.T.: -0.058 min
Response: 14666834
Conc: 903.61 ug/L




#10 2,6-Dinitrotoluene

R.T.: 8.833 min
Delta R.T.: -0.059 min
Response: 8188118
Conc: 911.55 ug/L




#11 1,3-Dinitrobenzene

R.T.: 3.726 min
Delta R.T.: -0.026 min
Response: 16138092
Conc: 918.83 ug/L




#12 Nitrobenzene

R.T.: 5.003 min
Delta R.T.: -0.035 min
Response: 10055699
Conc: 910.27 ug/L




#13 2-Nitrotoluene

R.T.: 12.185 min
Delta R.T.: -0.080 min
Response: 6569411
Conc: 944.94 ug/L




#14 3-Nitrotoluene

R.T.: 14.271 min
Delta R.T.: -0.095 min
Response: 6870644
Conc: 912.56 ug/L




#15 4-Nitrotoluene

R.T.: 12.961 min
Delta R.T.: -0.089 min
Response: 5516061
Conc: 936.09 ug/L



#16 3,5-Dinitroaniline

R.T.: 4.079 min
Delta R.T.: -0.031 min
Response: 13089241
Conc: 733.83 ug/L



#18 PETN

R.T.: 19.278 min
Delta R.T.: -0.126 min
Response: 8617312
Conc: 845.45 ug/L