

Data Path : X:\HPCHEM1\HPLC_L\Data\HL050312\
 Data File : HL002918.D
 Signal(s) : VWD1A.CH
 Acq On : 03-May-2012, 20:57
 Operator : HLM
 Sample : 8330-3
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Integration File: events.e
 Quant Time: May 05 05:44:02 2012
 Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL050312.M
 Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 QLast Update : Fri May 04 10:17:21 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
1) S 4-Nitroaniline	1.397	1911958	481.022 ug/L
Spiked Amount 300.000	Range 37 - 149	Recovery	= 160.34%#
Target Compounds			
2) T HMX	0.934f	2485882	598.316 ug/L
3) T RDX	1.797f	2970093	508.784 ug/L
4) T 1,3,5-Trinitrobenzene	2.805f	3148331	252.468 ug/L
5) T Tetryl	6.370	4475815	500.222 ug/L
6) T 2,4,6-Trinitrotoluene	6.738	3099372	259.039 ug/L
7) T 2-Amino-4,6-dinitroto...	7.250	2912193	251.689 ug/L
8) T 4-Amino-2,6-dinitroto...	7.585	1919875	251.664 ug/L
9) T 2,4-Dinitrotoluene	8.434	4109448	250.286 ug/L
10) T 2,6-Dinitrotoluene	8.819	2224487	249.591 ug/L
11) T 1,3-Dinitrobenzene	3.717f	4453741	253.692 ug/L
12) T Nitrobenzene	4.992f	2889782	265.377 ug/L
13) T 2-Nitrotoluene	12.162	3503618	509.194 ug/L
14) T 3-Nitrotoluene	14.252	3847783	511.453 ug/L
15) T 4-Nitrotoluene	12.938	2951855	517.630 ug/L
16) T 3,5-Dinitroaniline	4.074	9202711	518.870 ug/L
18) T PETN	19.236	11912098	1321.874 ug/L

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : X:\HPCHEM1\HPLC_L\Data\HL050312\
Data File : HL002918.D
Signal(s) : VWD1A.CH
Acq On : 03-May-2012, 20:57
Operator : HLM
Sample : 8330-3
Misc :
ALS Vial : 5 Sample Multiplier: 1

Integration File: events.e
Quant Time: May 05 05:44:02 2012
Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL050312.M
Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
QLast Update : Fri May 04 10:17:21 2012
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. :
Signal Phase :
Signal Info :

