

Data Path : X:\HPCHEM1\HPLC_L\Data\HL050312\
 Data File : HL002926.D
 Signal(s) : VWD1A.CH
 Acq On : 04-May-2012, 00:33
 Operator : HLM
 Sample : D2296-17MS1
 Misc :
 ALS Vial : 69 Sample Multiplier: 1

Integration File: events.e
 Quant Time: May 05 05:44:51 2012
 Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL050312.M
 Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 QLast Update : Fri May 04 10:28:19 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
1) S 4-Nitroaniline	1.402	645067	176.303 ug/L
Spiked Amount 300.000	Range 37 - 149	Recovery =	58.77%
Target Compounds			
2) T HMX	0.938	455647	111.622 ug/L
3) T RDX	1.803f	731544	129.697 ug/L
4) T 1,3,5-Trinitrobenzene	2.814f	1655221	131.987 ug/L
5) T Tetryl	6.384f	416289	46.346 ug/L
6) T 2,4,6-Trinitrotoluene	6.752f	1525308	126.858 ug/L
7) T 2-Amino-4,6-dinitroto...	7.268f	1551124	140.725 ug/L
8) T 4-Amino-2,6-dinitroto...	7.605f	1036135	136.864 ug/L
9) T 2,4-Dinitrotoluene	8.453f	2330404	143.575 ug/L
10) T 2,6-Dinitrotoluene	8.845f	1198304	133.402 ug/L
11) T 1,3-Dinitrobenzene	3.728f	2446893	139.315 ug/L
12) T Nitrobenzene	5.008f	1477286	133.728 ug/L
13) T 2-Nitrotoluene	12.203f	843264	121.295 ug/L m
14) T 3-Nitrotoluene	14.317	1055015	140.127 ug/L m
15) T 4-Nitrotoluene	12.987f	676515	114.806 ug/L m
16) T 3,5-Dinitroaniline	4.083f	1938106	108.657 ug/L
18) T PETN	19.280f	1062657	104.258 ug/L m

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : X:\HPCHEM1\HPLC_L\Data\HL050312\
Data File : HL002926.D
Signal(s) : VWD1A.CH
Acq On : 04-May-2012, 00:33
Operator : HLM
Sample : D2296-17MS1
Misc :
ALS Vial : 69 Sample Multiplier: 1

Integration File: events.e
Quant Time: May 05 05:44:51 2012
Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL050312.M
Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
QLast Update : Fri May 04 10:28:19 2012
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. :
Signal Phase :
Signal Info :

