

Data Path : X:\HPCHEM1\HPLC_L\Data\HL050312\
 Data File : HL002929.D
 Signal(s) : VWD1A.CH
 Acq On : 04-May-2012, 01:54
 Operator : HLM
 Sample : 8330-CCV
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Integration File: events.e
 Quant Time: May 05 05:45:05 2012
 Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL050312.M
 Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 QLast Update : Fri May 04 10:28:19 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
1) S 4-Nitroaniline	1.404	3968932	1084.745 ug/L
Spiked Amount 300.000	Range 37 - 149	Recovery	= 361.58%#
Target Compounds			
2) T HMX	0.937f	4125967	961.582 ug/L m
3) T RDX	1.805	5767354	1022.503 ug/L
4) T 1,3,5-Trinitrobenzene	2.816f	6133387	489.075 ug/L
5) T Tetryl	6.388f	8797375	979.429 ug/L
6) T 2,4,6-Trinitrotoluene	6.759f	5866065	487.872 ug/L
7) T 2-Amino-4,6-dinitroto...	7.270f	5687868	516.029 ug/L
8) T 4-Amino-2,6-dinitroto...	7.604f	3731016	492.832 ug/L
9) T 2,4-Dinitrotoluene	8.459f	7985172	491.961 ug/L
10) T 2,6-Dinitrotoluene	8.843f	4321172	481.058 ug/L
11) T 1,3-Dinitrobenzene	3.730f	8611242	490.286 ug/L
12) T Nitrobenzene	5.009f	5507075	498.515 ug/L
13) T 2-Nitrotoluene	12.199f	6875322	988.944 ug/L
14) T 3-Nitrotoluene	14.291f	7618302	1011.865 ug/L
15) T 4-Nitrotoluene	12.977f	5934740	1007.141 ug/L
16) T 3,5-Dinitroaniline	4.086f	17834434	999.860 ug/L
18) T PETN	19.300f	23333191	2289.230 ug/L

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : X:\HPCHEM1\HPLC_L\Data\HL050312\
Data File : HL002929.D
Signal(s) : VWD1A.CH
Acq On : 04-May-2012, 01:54
Operator : HLM
Sample : 8330-CCV
Misc :
ALS Vial : 4 Sample Multiplier: 1

Integration File: events.e
Quant Time: May 05 05:45:05 2012
Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL050312.M
Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
QLast Update : Fri May 04 10:28:19 2012
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. :
Signal Phase :
Signal Info :

