

Data Path : X:\HPCHEM1\HPLC_L\Data\HL050312\
 Data File : HL002931.D
 Signal(s) : VWD1A.CH
 Acq On : 04-May-2012, 02:48
 Operator : HLM
 Sample : D2296-18MSD1
 Misc :
 ALS Vial : 71 Sample Multiplier: 1

Integration File: events.e
 Quant Time: May 05 05:45:20 2012
 Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL050312.M
 Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 QLast Update : Fri May 04 10:28:19 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
1) S 4-Nitroaniline	1.403	624838	170.774 ug/L
Spiked Amount 300.000	Range 37 - 149	Recovery	= 56.92%
Target Compounds			
2) T HMX	0.941	1012303	240.531 ug/L
3) T RDX	1.805	696590	123.499 ug/L
4) T 1,3,5-Trinitrobenzene	2.818	1432142	114.199 ug/L
5) T Tetryl	6.391f	312515	34.793 ug/L
6) T 2,4,6-Trinitrotoluene	6.759f	1366698	113.666 ug/L
7) T 2-Amino-4,6-dinitroto...	7.269f	1446997	131.278 ug/L
8) T 4-Amino-2,6-dinitroto...	7.606f	1049781	138.666 ug/L
9) T 2,4-Dinitrotoluene	8.457f	2213566	136.376 ug/L
10) T 2,6-Dinitrotoluene	8.844f	1143571	127.309 ug/L
11) T 1,3-Dinitrobenzene	3.731f	2294886	130.661 ug/L
12) T Nitrobenzene	5.009f	1430413	129.485 ug/L
13) T 2-Nitrotoluene	12.198f	902193	129.771 ug/L m
14) T 3-Nitrotoluene	14.278f	945698	125.608 ug/L m
15) T 4-Nitrotoluene	12.970f	753438	127.860 ug/L m
16) T 3,5-Dinitroaniline	4.083f	1824993	102.315 ug/L
18) T PETN	19.263f	1061921	104.186 ug/L m

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : X:\HPCHEM1\HPLC_L\Data\HL050312\
Data File : HL002931.D
Signal(s) : VWD1A.CH
Acq On : 04-May-2012, 02:48
Operator : HLM
Sample : D2296-18MSD1
Misc :
ALS Vial : 71 Sample Multiplier: 1

Integration File: events.e
Quant Time: May 05 05:45:20 2012
Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL050312.M
Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
QLast Update : Fri May 04 10:28:19 2012
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. :
Signal Phase :
Signal Info :

