

Evaluate Continuing Calibration Report

Data File : H:\VOL1\HPLC\HPLC L\120503\HL002940.D Vial: 11
Acq On : 04-May-2012, 06:50 Operator: HLM
Sample : 8330NG-CCV Inst : G1314A
Misc : Multiplr: 1.00
IntFile : events.e

Method : H:\VOL1\HPLC\HPLC L\METHODS\HL050312.M (Chemstation Integrator)
Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
Last Update : Fri May 04 10:29:09 2012
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
17 T	Nitroglycerin	58.711	60.131	-2.4	0#	-0.03

Data File : H:\VOL1\HPLC\HPLC L\120503\HL002940.D
 Acq On : 04-May-2012, 06:50
 Sample : 8330NG-CCV
 Misc :
 IntFile : events.e

Vial: 11
 Operator: HLM
 Inst : G1314A
 Multiplr: 1.00

Method : H:\VOL1\HPLC\HPLC L\METHODS\HL050312.M (Chemstation Integrator)
 Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 Last Update : Fri May 04 10:29:09 2012
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	3.659	0.000 E3	100.0#	0#	-1.41#
2 T	HMX	3.967	0.000 E3	100.0#	0#	-0.95#
3 T	RDX	5.640	0.000 E3	100.0#	0#	-1.82#
4 T	1,3,5-Trinitrobenzene	12.541	0.000 E3	100.0#	0#	-2.83#
5 T	Tetryl	8.982	0.000 E3	100.0#	0#	-6.42#
6 T	2,4,6-Trinitrotoluene	12.024	0.000 E3	100.0#	0#	-6.80#
7 T	2-Amino-4,6-dinitrotoluene	11.022	0.000 E3	100.0#	0#	-7.31#
8 T	4-Amino-2,6-dinitrotoluene	7.571	0.000 E3	100.0#	0#	-7.65#
9 T	2,4-Dinitrotoluene	16.231	0.000 E3	100.0#	0#	-8.51#
10 T	2,6-Dinitrotoluene	8.983	0.000 E3	100.0#	0#	-8.89#
11 T	1,3-Dinitrobenzene	17.564	0.000 E3	100.0#	0#	-3.75#
12 T	Nitrobenzene	11.047	0.000 E3	100.0#	0#	-5.04#
13 T	2-Nitrotoluene	6.952	0.000 E3	100.0#	0#	-12.26#
14 T	3-Nitrotoluene	7.529	0.000 E3	100.0#	0#	-14.37#
15 T	4-Nitrotoluene	5.893	0.000 E3	100.0#	0#	-13.05#
16 T	3,5-Dinitroaniline	17.837	0.000 E3	100.0#	0#	-4.11#
18 T	PETN	10.193	0.000 E3	100.0#	0#	-19.40#