



Data Path : X:\HPCHEM1\HPLC_L\Data\HL050312\
Data File : HL002917.D
Signal(s) : VWD1A.CH
Acq On : 03-May-2012, 20:30
Operator : HLM
Sample : 8330-6
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
HPLC_L
ClientSampleId :
8330-6

Integration File: events.e
Quant Time: May 05 05:43:49 2012
Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL050312.M
Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
QLast Update : Fri May 04 10:17:21 2012
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. :
Signal Phase :
Signal Info :






#2 HMX


R.T.: 0.938 min
Delta R.T.: -0.004 min
Response: 21681978
Conc: 5218.54 ug/L

Instrument :
HPLC_L
ClientSampleId :
8330-6




#3 RDX

R.T.: 1.802 min
Delta R.T.: -0.008 min
Response: 29649595
Conc: 5079.05 ug/L




#4 1,3,5-Trinitrobenzene

R.T.: 2.812 min
Delta R.T.: -0.009 min
Response: 31208781
Conc: 2502.66 ug/L



#5 Tetryl


R.T.: 6.379 min
Delta R.T.: -0.011 min
Response: 45416217
Conc: 5075.76 ug/L



#6 2,4,6-Trinitrotoluene


R.T.: 6.748 min
Delta R.T.: -0.015 min
Response: 30012257
Conc: 2508.36 ug/L

Instrument :
HPLC_L
ClientSampleId :
8330-6




#7 2-Amino-4,6-dinitrotoluene

R.T.: 7.259 min
Delta R.T.: -0.020 min
Response: 28809525
Conc: 2489.89 ug/L




#8 4-Amino-2,6-dinitrotoluene

R.T.: 7.597 min
Delta R.T.: -0.016 min
Response: 19600673
Conc: 2569.33 ug/L



#9 2,4-Dinitrotoluene


R.T.: 8.446 min
Delta R.T.: -0.021 min
Response: 40896929
Conc: 2490.83 ug/L



#10 2,6-Dinitrotoluene


R.T.: 8.833 min
Delta R.T.: -0.020 min
Response: 22494229
Conc: 2523.89 ug/L

Instrument :
HPLC_L
ClientSampleId :
8330-6




#11 1,3-Dinitrobenzene

R.T.: 3.724 min
Delta R.T.: -0.014 min
Response: 44117642
Conc: 2513.01 ug/L




#12 Nitrobenzene

R.T.: 5.000 min
Delta R.T.: -0.020 min
Response: 27727263
Conc: 2546.27 ug/L



#13 2-Nitrotoluene


R.T.: 12.180 min
Delta R.T.: -0.032 min
Response: 35130588
Conc: 5105.66 ug/L



#14 3-Nitrotoluene


R.T.: 14.265 min
Delta R.T.: -0.039 min
Response: 37858832
Conc: 5032.25 ug/L

Instrument :
HPLC_L
ClientSampleId :
8330-6




#15 4-Nitrotoluene

R.T.: 12.955 min
Delta R.T.: -0.034 min
Response: 29765158
Conc: 5219.54 ug/L



#16 3,5-Dinitroaniline

R.T.: 4.080 min
Delta R.T.: -0.015 min
Response: 91256757
Conc: 5145.27 ug/L



#18 PETN

R.T.: 19.259 min
Delta R.T.: -0.057 min
Response: 117843254
Conc: 13076.95 ug/L

Data Path : X:\HPCHEM1\HPLC_L\Data\HL050312\
 Data File : HL002917.D
 Signal(s) : VWD1A.CH
 Acq On : 03-May-2012, 20:30
 Operator : HLM
 Sample : 8330-6
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 HPLC_L
 ClientSampleId :
 8330-6

Integration File: events.e
 Quant Time: May 05 05:43:49 2012
 Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL050312.M
 Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 QLast Update : Fri May 04 10:17:21 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
1) S 4-Nitroaniline	1.401	20396501	5131.471 ug/L
Spiked Amount 300.000	Range 37 - 149	Recovery	= 1710.49%#
Target Compounds			
2) T HMX	0.938	21681978	5218.542 ug/L
3) T RDX	1.802	29649595	5079.045 ug/L
4) T 1,3,5-Trinitrobenzene	2.812	31208781	2502.662 ug/L
5) T Tetryl	6.379	45416217	5075.765 ug/L
6) T 2,4,6-Trinitrotoluene	6.748	30012257	2508.365 ug/L
7) T 2-Amino-4,6-dinitroto...	7.259	28809525	2489.888 ug/L
8) T 4-Amino-2,6-dinitroto...	7.597	19600673	2569.330 ug/L
9) T 2,4-Dinitrotoluene	8.446	40896929	2490.833 ug/L
10) T 2,6-Dinitrotoluene	8.833	22494229	2523.894 ug/L
11) T 1,3-Dinitrobenzene	3.724	44117642	2513.012 ug/L
12) T Nitrobenzene	5.000	27727263	2546.273 ug/L
13) T 2-Nitrotoluene	12.180	35130588	5105.656 ug/L
14) T 3-Nitrotoluene	14.265	37858832	5032.254 ug/L
15) T 4-Nitrotoluene	12.955	29765158	5219.542 ug/L
16) T 3,5-Dinitroaniline	4.080	91256757	5145.269 ug/L
18) T PETN	19.259	117843254	13076.952 ug/L

(f)=RT Delta > 1/2 Window

(m)=manual int.