

Evaluate Continuing Calibration Report

Data File : Z:\HPCHEM1\HPLC_L\DATA\HL052213\HL005275.D Vial: 38
 Acq On : 22-May-2013, 16:50 Operator: QM
 Sample : HSTDICV0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : autoint1.e

Instrument :
 HPLC_L
 ClientSampleId :
 ICVHL052213

Method : Z:\HPCHEM1\HPLC_L\METHODS\HL052213.M
 Title :
 Last Update : Thu May 23 10:06:03 2013
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	3.970	4.003 E3	-0.8	107	-0.01
2 T	HMX	4.536	4.284 E3	5.6	94	0.00
3 T	RDX	5.298	5.024 E3	5.2	99	-0.01
4 T	1,3,5-Trinitrobenzene	10.818	10.875 E3	-0.5	99	0.00
5 T	1,3-Dinitrobenzene	15.438	15.358 E3	0.5	96	-0.01
6 T	3,5-Dinitroaniline	13.530	13.146 E3	2.8	98	-0.03
7 T	Nitrobenzene	10.244	10.088 E3	1.5	103	-0.04
8 T	Tetryl	6.730	6.738 E3	-0.1	99	0.00
9 T	2,4,6-Trinitrotoluene	11.258	11.041 E3	1.9	101	-0.02
10 T	2-Amino-4,6-dinitrotoluene	10.714	10.391 E3	3.0	96	-0.07
11 T	4-Amino-2,6-dinitrotoluene	5.576	5.775 E3	-3.6	92	-0.04
12 T	2,4-Dinitrotoluene	15.136	14.541 E3	3.9	99	-0.03
13 T	2,6-Dinitrotoluene	8.132	7.022 E3	13.6	87	-0.05
14 T	2-Nitrotoluene	7.093	6.194 E3	12.7	92	-0.08
15 T	4-Nitrotoluene	5.594	4.692 E3	16.1	86	-0.08
16 T	3-Nitrotoluene	6.630	6.324 E3	4.6	91	-0.10
17 T	PETN	11.369	8.111 E3	28.7#	104	-0.07

Evaluate Continuing Calibration Report - Not Found

Data File : Z:\HPCHEM1\HPLC_L\DATA\HL052213\HL005275.D Vial: 38
 Acq On : 22-May-2013, 16:50 Operator: QM
 Sample : HSTDICV0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : autoint1.e

Instrument :
 HPLC_L
 ClientSampleId :
 ICVHL052213

Method : Z:\HPCHEM1\HPLC_L\METHODS\HL052213.M
 Title :
 Last Update : Thu May 23 10:06:03 2013
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
----------	-------	------	------	-------	----------