

# Evaluate Continuing Calibration Report

Data File : Z:\HPCHEM1\HPLC\_L\DATA\HL052213\HL005275.D Vial: 38  
 Acq On : 22-May-2013, 16:50 Operator: QM  
 Sample : HSTDICV0500 Inst : G1314A  
 Misc : Multiplr: 1.00  
 IntFile : autoint1.e

Instrument :  
 HPLC\_L  
 ClientSampleId :  
 ICVHL052213

Method : Z:\HPCHEM1\HPLC\_L\METHODS\HL052213.M  
 Title :  
 Last Update : Thu May 23 10:06:03 2013  
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min  
 Max. RRF Dev : 25% Max. Rel. Area : 150%

|      | Compound                   | Amount  | Calc.   | %Dev | Area% | Dev(min) |
|------|----------------------------|---------|---------|------|-------|----------|
| 1 S  | 4-Nitroaniline             | 500.000 | 504.176 | -0.8 | 107   | -0.01    |
| 2 T  | HMX                        | 500.000 | 472.230 | 5.6  | 94    | 0.00     |
| 3 T  | RDX                        | 500.000 | 474.119 | 5.2  | 99    | -0.01    |
| 4 T  | 1,3,5-Trinitrobenzene      | 500.000 | 502.636 | -0.5 | 99    | 0.00     |
| 5 T  | 1,3-Dinitrobenzene         | 500.000 | 497.417 | 0.5  | 96    | -0.01    |
| 6 T  | 3,5-Dinitroaniline         | 500.000 | 485.833 | 2.8  | 98    | -0.03    |
| 7 T  | Nitrobenzene               | 500.000 | 492.408 | 1.5  | 103   | -0.04    |
| 8 T  | Tetryl                     | 500.000 | 500.626 | -0.1 | 99    | 0.00     |
| 9 T  | 2,4,6-Trinitrotoluene      | 500.000 | 490.334 | 1.9  | 101   | -0.02    |
| 10 T | 2-Amino-4,6-dinitrotoluene | 500.000 | 484.923 | 3.0  | 96    | -0.07    |
| 11 T | 4-Amino-2,6-dinitrotoluene | 500.000 | 517.807 | -3.6 | 92    | -0.04    |
| 12 T | 2,4-Dinitrotoluene         | 500.000 | 480.329 | 3.9  | 99    | -0.03    |
| 13 T | 2,6-Dinitrotoluene         | 500.000 | 431.726 | 13.7 | 87    | -0.05    |
| 14 T | 2-Nitrotoluene             | 500.000 | 436.624 | 12.7 | 92    | -0.08    |
| 15 T | 4-Nitrotoluene             | 500.000 | 419.425 | 16.1 | 86    | -0.08    |
| 16 T | 3-Nitrotoluene             | 500.000 | 476.921 | 4.6  | 91    | -0.10    |
| 17 T | PETN                       | 500.000 | 471.959 | 5.6  | 104   | -0.07    |

Evaluate Continuing Calibration Report - Not Found

Data File : Z:\HPCHEM1\HPLC\_L\DATA\HL052213\HL005275.D Vial: 38  
 Acq On : 22-May-2013, 16:50 Operator: QM  
 Sample : HSTDICV0500 Inst : G1314A  
 Misc : Multiplr: 1.00  
 IntFile : autoint1.e

Instrument :  
 HPLC\_L  
 ClientSampleId :  
 ICVHL052213

Method : Z:\HPCHEM1\HPLC\_L\METHODS\HL052213.M  
 Title :  
 Last Update : Thu May 23 10:06:03 2013  
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min  
 Max. RRF Dev : 25% Max. Rel. Area : 150%

| Compound | Amount | Calc. | %Dev | Area% | Dev(min) |
|----------|--------|-------|------|-------|----------|
|----------|--------|-------|------|-------|----------|