

Evaluate Continuing Calibration Report

Data File : Z:\HPCHEM1\HPLC_L\DATA\HL052213\HL005276.D Vial: 1
 Acq On : 22-May-2013, 18:04 Operator: QM
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : autoint1.e

Instrument :
 HPLC_L
 LabSampleId :
 HSTDCCC0500

Method : Z:\HPCHEM1\HPLC_L\METHODS\HL052213.M
 Title :
 Last Update : Thu May 23 10:06:03 2013
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	500.000	452.155	9.6	96	-0.03
2 T	HMX	500.000	446.573	10.7	89	-0.02
3 T	RDX	500.000	477.334	4.5	99	-0.03
4 T	1,3,5-Trinitrobenzene	500.000	517.957	-3.6	102	-0.02
5 T	1,3-Dinitrobenzene	500.000	511.633	-2.3	99	0.00
6 T	3,5-Dinitroaniline	500.000	503.935	-0.8	102	-0.01
7 T	Nitrobenzene	500.000	505.185	-1.0	106	-0.01
8 T	Tetryl	500.000	523.192	-4.6	103	0.00
9 T	2,4,6-Trinitrotoluene	500.000	489.844	2.0	101	-0.02
10 T	2-Amino-4,6-dinitrotoluene	500.000	521.356	-4.3	103	-0.06
11 T	4-Amino-2,6-dinitrotoluene	500.000	583.795	-16.8	103	0.00
12 T	2,4-Dinitrotoluene	500.000	485.839	2.8	100	0.02
13 T	2,6-Dinitrotoluene	500.000	492.369	1.5	100	0.02
14 T	2-Nitrotoluene	500.000	469.611	6.1	99	-0.06
15 T	4-Nitrotoluene	500.000	495.607	0.9	102	-0.07
16 T	3-Nitrotoluene	500.000	517.145	-3.4	99	-0.09
17 T	PETN	500.000	638.980	-27.8#	149	-0.10

Evaluate Continuing Calibration Report - Not Found

Data File : Z:\HPCHEM1\HPLC_L\DATA\HL052213\HL005276.D Vial: 1
 Acq On : 22-May-2013, 18:04 Operator: QM
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : autoint1.e

Instrument :
 HPLC_L
 LabSampleId :
 HSTDCCC0500

Method : Z:\HPCHEM1\HPLC_L\METHODS\HL052213.M
 Title :
 Last Update : Thu May 23 10:06:03 2013
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)
----------	--------	-------	------	-------	----------