

# Evaluate Continuing Calibration Report

Data File : Z:\HPCHEM1\HPLC\_L\DATA\HL052213\HL005294.D Vial: 1  
 Acq On : 23-May-2013, 02:16 Operator: QM  
 Sample : HSTDCCC0500 Inst : G1314A  
 Misc : Multiplr: 1.00  
 IntFile : autoint1.e

Instrument :  
 HPLC\_L  
 LabSampleId :  
 HSTDCCC0500

Method : Z:\HPCHEM1\HPLC\_L\METHODS\HL052213.M  
 Title :  
 Last Update : Thu May 23 10:04:01 2013  
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min  
 Max. RRF Dev : 25% Max. Rel. Area : 150%

|      | Compound                   | Amount  | Calc.   | %Dev  | Area% | Dev(min) |
|------|----------------------------|---------|---------|-------|-------|----------|
| 1 S  | 4-Nitroaniline             | 500.000 | 468.596 | 6.3   | 100   | 0.02     |
| 2 T  | HMX                        | 500.000 | 489.298 | 2.1   | 97    | 0.02     |
| 3 T  | RDX                        | 500.000 | 481.680 | 3.7   | 100   | 0.03     |
| 4 T  | 1,3,5-Trinitrobenzene      | 500.000 | 511.520 | -2.3  | 101   | 0.05     |
| 5 T  | 1,3-Dinitrobenzene         | 500.000 | 511.654 | -2.3  | 99    | 0.06     |
| 6 T  | 3,5-Dinitroaniline         | 500.000 | 495.806 | 0.8   | 100   | 0.04     |
| 7 T  | Nitrobenzene               | 500.000 | 482.058 | 3.6   | 101   | 0.06     |
| 8 T  | Tetryl                     | 500.000 | 518.153 | -3.6  | 102   | 0.08     |
| 9 T  | 2,4,6-Trinitrotoluene      | 500.000 | 490.546 | 1.9   | 101   | 0.08     |
| 10 T | 2-Amino-4,6-dinitrotoluene | 500.000 | 501.707 | -0.3  | 99    | 0.04     |
| 11 T | 4-Amino-2,6-dinitrotoluene | 500.000 | 573.022 | -14.6 | 101   | 0.08     |
| 12 T | 2,4-Dinitrotoluene         | 500.000 | 480.212 | 4.0   | 99    | 0.09     |
| 13 T | 2,6-Dinitrotoluene         | 500.000 | 477.823 | 4.4   | 97    | 0.08     |
| 14 T | 2-Nitrotoluene             | 500.000 | 463.426 | 7.3   | 98    | 0.02     |
| 15 T | 4-Nitrotoluene             | 500.000 | 492.544 | 1.5   | 102   | 0.00     |
| 16 T | 3-Nitrotoluene             | 500.000 | 535.075 | -7.0  | 102   | 0.05     |
| 17 T | PETN                       | 500.000 | 510.489 | -2.1  | 115   | -0.02    |

Evaluate Continuing Calibration Report - Not Found

Data File : Z:\HPCHEM1\HPLC\_L\DATA\HL052213\HL005294.D Vial: 1  
 Acq On : 23-May-2013, 02:16 Operator: QM  
 Sample : HSTDCCC0500 Inst : G1314A  
 Misc : Multiplr: 1.00  
 IntFile : autoint1.e

Instrument :  
 HPLC\_L  
 LabSampleId :  
 HSTDCCC0500

Method : Z:\HPCHEM1\HPLC\_L\METHODS\HL052213.M  
 Title :  
 Last Update : Thu May 23 10:04:01 2013  
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min  
 Max. RRF Dev : 25% Max. Rel. Area : 150%

| Compound | Amount | Calc. | %Dev | Area% | Dev(min) |
|----------|--------|-------|------|-------|----------|
|----------|--------|-------|------|-------|----------|