

Data Path : X:\HPCHEM1\HPLC_L\Data\HL052512\
 Data File : HL003065.D
 Signal(s) : VWD1A.CH
 Acq On : 25-May-2012, 18:02
 Operator : HLM
 Sample : D2735-02MS1
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Integration File: events.e
 Quant Time: Jun 05 04:17:34 2012
 Quant Method : X:\HPCHEM1\HPLC_L\methods\HL050312.M
 Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 QLast Update : Fri May 04 10:29:09 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
1) S 4-Nitroaniline	1.392f	2057663	562.378 ug/L
Spiked Amount 300.000	Range 37 - 149	Recovery	= 187.46%#
Target Compounds			
3) T RDX	1.795f	1641561	291.035 ug/L
4) T 1,3,5-Trinitrobenzene	2.820	3784014	301.736 ug/L
5) T Tetryl	6.436	2482433	276.374 ug/L
6) T 2,4,6-Trinitrotoluene	6.833f	3985663	331.482 ug/L
7) T 2-Amino-4,6-dinitroto...	7.280	3475486	315.312 ug/L
8) T 4-Amino-2,6-dinitroto...	7.644	2565292	338.851 ug/L
9) T 2,4-Dinitrotoluene	8.528	4850331	298.826 ug/L
10) T 2,6-Dinitrotoluene	8.940f	2705301	301.170 ug/L
11) T 1,3-Dinitrobenzene	3.739	5396353	307.244 ug/L
12) T Nitrobenzene	5.033	3316352	300.205 ug/L
13) T 2-Nitrotoluene	12.334f	2084337	299.810 ug/L
14) T 3-Nitrotoluene	14.449f	2245661	298.269 ug/L
15) T 4-Nitrotoluene	13.137f	1737009	294.775 ug/L
16) T 3,5-Dinitroaniline	4.069f	4328800	242.688 ug/L


(f)=RT Delta > 1/2 Window


(m)=manual int.

Data Path : X:\HPCHEM1\HPLC_L\Data\HL052512\
Data File : HL003065.D
Signal(s) : VWD1A.CH
Acq On : 25-May-2012, 18:02
Operator : HLM
Sample : D2735-02MS1
Misc :
ALS Vial : 15 Sample Multiplier: 1

Integration File: events.e
Quant Time: Jun 05 04:17:34 2012
Quant Method : X:\HPCHEM1\HPLC_L\methods\HL050312.M
Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
QLast Update : Fri May 04 10:29:09 2012
Response via : Initial Calibration
Integrator: ChemStation


Volume Inj. :
Signal Phase :
Signal Info :






#1 4-Nitroaniline

R.T.: 1.392 min
 Delta R.T.: -0.021 min
 Response: 2057663
 Conc: 562.38 ug/L




#3 RDX

R.T.: 1.795 min
 Delta R.T.: -0.022 min
 Response: 1641561
 Conc: 291.03 ug/L




#4 1,3,5-Trinitrobenzene

R.T.: 2.820 min
 Delta R.T.: -0.012 min
 Response: 3784014
 Conc: 301.74 ug/L




#5 Tetryl

R.T.: 6.436 min
 Delta R.T.: 0.012 min
 Response: 2482433
 Conc: 276.37 ug/L




#6 2,4,6-Trinitrotoluene

R.T.: 6.833 min
Delta R.T.: 0.038 min
Response: 3985663
Conc: 331.48 ug/L




#7 2-Amino-4,6-dinitrotoluene

R.T.: 7.280 min
Delta R.T.: -0.033 min
Response: 3475486
Conc: 315.31 ug/L




#8 4-Amino-2,6-dinitrotoluene

R.T.: 7.644 min
Delta R.T.: -0.005 min
Response: 2565292
Conc: 338.85 ug/L




#9 2,4-Dinitrotoluene


R.T.: 8.528 min
Delta R.T.: 0.022 min
Response: 4850331
Conc: 298.83 ug/L




#10 2,6-Dinitrotoluene
 R.T.: 8.940 min
 Delta R.T.: 0.047 min
 Response: 2705301
 Conc: 301.17 ug/L




#11 1,3-Dinitrobenzene
 R.T.: 3.739 min
 Delta R.T.: -0.012 min
 Response: 5396353
 Conc: 307.24 ug/L



#12 Nitrobenzene
 R.T.: 5.033 min
 Delta R.T.: -0.005 min
 Response: 3316352
 Conc: 300.21 ug/L




#13 2-Nitrotoluene
 R.T.: 12.334 min
 Delta R.T.: 0.069 min
 Response: 2084337
 Conc: 299.81 ug/L




#14 3-Nitrotoluene

R.T.: 14.449 min
 Delta R.T.: 0.083 min
 Response: 2245661
 Conc: 298.27 ug/L



#15 4-Nitrotoluene

R.T.: 13.137 min
 Delta R.T.: 0.087 min
 Response: 1737009
 Conc: 294.78 ug/L



#16 3,5-Dinitroaniline

R.T.: 4.069 min
 Delta R.T.: -0.041 min
 Response: 4328800
 Conc: 242.69 ug/L