

Data Path : X:\HPCHEM1\HPLC_L\Data\HL052512\
 Data File : HL003085.D
 Signal(s) : VWD1A.CH
 Acq On : 26-May-2012, 03:01
 Operator : HLM
 Sample : 8330-CCV
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Integration File: events.e
 Quant Time: Jun 05 04:20:30 2012
 Quant Method : X:\HPCHEM1\HPLC_L\methods\HL050312.M
 Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 QLast Update : Fri May 04 10:29:09 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
1) S 4-Nitroaniline	1.388f	3980591	1087.932 ug/L
Spiked Amount 300.000	Range 37 - 149	Recovery	= 362.64%#
Target Compounds			
4) T 1,3,5-Trinitrobenzene	2.811f	6164176	491.530 ug/L
5) T Tetryl	6.421	8893563	990.138 ug/L
6) T 2,4,6-Trinitrotoluene	6.820	5932071	493.361 ug/L
7) T 2-Amino-4,6-dinitroto...	7.256f	5755828	522.194 ug/L
8) T 4-Amino-2,6-dinitroto...	7.618	3889793	513.805 ug/L
9) T 2,4-Dinitrotoluene	8.507	8267134	509.333 ug/L
10) T 2,6-Dinitrotoluene	8.919	5398779	601.024 ug/L
11) T 1,3-Dinitrobenzene	3.727f	8623940	491.009 ug/L
12) T Nitrobenzene	5.017	5431536	491.677 ug/L
13) T 2-Nitrotoluene	12.296	8897097	1279.756 ug/L
14) T 3-Nitrotoluene	14.414	7745776	1028.796 ug/L
15) T 4-Nitrotoluene	13.099	6264594	1063.118 ug/L


(f)=RT Delta > 1/2 Window


(m)=manual int.

Data Path : X:\HPCHEM1\HPLC_L\Data\HL052512\
Data File : HL003085.D
Signal(s) : VWD1A.CH
Acq On : 26-May-2012, 03:01
Operator : HLM
Sample : 8330-CCV
Misc :
ALS Vial : 2 Sample Multiplier: 1

Integration File: events.e
Quant Time: Jun 05 04:20:30 2012
Quant Method : X:\HPCHEM1\HPLC_L\methods\HL050312.M
Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
QLast Update : Fri May 04 10:29:09 2012
Response via : Initial Calibration
Integrator: ChemStation


Volume Inj. :
Signal Phase :
Signal Info :






#1 4-Nitroaniline

R.T.: 1.388 min
 Delta R.T.: -0.025 min
 Response: 3980591
 Conc: 1087.93 ug/L




#4 1,3,5-Trinitrobenzene

R.T.: 2.811 min
 Delta R.T.: -0.021 min
 Response: 6164176
 Conc: 491.53 ug/L




#5 Tetryl

R.T.: 6.421 min
 Delta R.T.: -0.003 min
 Response: 8893563
 Conc: 990.14 ug/L




#6 2,4,6-Trinitrotoluene

R.T.: 6.820 min
 Delta R.T.: 0.024 min
 Response: 5932071
 Conc: 493.36 ug/L




#7 2-Amino-4,6-dinitrotoluene

R.T.: 7.256 min
Delta R.T.: -0.058 min
Response: 5755828
Conc: 522.19 ug/L




#8 4-Amino-2,6-dinitrotoluene

R.T.: 7.618 min
Delta R.T.: -0.031 min
Response: 3889793
Conc: 513.80 ug/L




#9 2,4-Dinitrotoluene

R.T.: 8.507 min
Delta R.T.: 0.001 min
Response: 8267134
Conc: 509.33 ug/L




#10 2,6-Dinitrotoluene


R.T.: 8.919 min
Delta R.T.: 0.026 min
Response: 5398779
Conc: 601.02 ug/L




#11 1,3-Dinitrobenzene
 R.T.: 3.727 min
 Delta R.T.: -0.024 min
 Response: 8623940
 Conc: 491.01 ug/L




#12 Nitrobenzene
 R.T.: 5.017 min
 Delta R.T.: -0.021 min
 Response: 5431536
 Conc: 491.68 ug/L



#13 2-Nitrotoluene
 R.T.: 12.296 min
 Delta R.T.: 0.031 min
 Response: 8897097
 Conc: 1279.76 ug/L



#14 3-Nitrotoluene
 R.T.: 14.414 min
 Delta R.T.: 0.048 min
 Response: 7745776
 Conc: 1028.80 ug/L



#15 4-Nitrotoluene

R.T.: 13.099 min
Delta R.T.: 0.049 min
Response: 6264594
Conc: 1063.12 ug/L