

Data Path : X:\HPCHEM1\HPLC_L\Data\HL052512\
 Data File : HL003089.D
 Signal(s) : VWD1A.CH
 Acq On : 26-May-2012, 04:49
 Operator : HLM
 Sample : PB63366BS1
 Misc :
 ALS Vial : 33 Sample Multiplier: 1

Integration File: events.e
 Quant Time: Jun 05 04:21:06 2012
 Quant Method : X:\HPCHEM1\HPLC_L\methods\HL050312.M
 Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 QLast Update : Fri May 04 10:29:09 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
1) S 4-Nitroaniline	1.389f	1235617	337.705 ug/L
Spiked Amount 300.000	Range 37 - 149	Recovery	= 112.57%
Target Compounds			
4) T 1,3,5-Trinitrobenzene	2.814f	2763599	220.369 ug/L
5) T Tetryl	6.425	1753864	195.261 ug/L
6) T 2,4,6-Trinitrotoluene	6.822	2927861	243.506 ug/L
7) T 2-Amino-4,6-dinitroto...	7.263f	2501079	226.909 ug/L
8) T 4-Amino-2,6-dinitroto...	7.628	1797915	237.488 ug/L
9) T 2,4-Dinitrotoluene	8.514	3707074	228.390 ug/L
10) T 2,6-Dinitrotoluene	8.930f	2617790	291.428 ug/L
11) T 1,3-Dinitrobenzene	3.731f	3865310	220.074 ug/L
12) T Nitrobenzene	5.021	2352803	212.982 ug/L
13) T 2-Nitrotoluene	12.263	3834710	551.584 ug/L
14) T 3-Nitrotoluene	14.427	1749381	232.353 ug/L
15) T 4-Nitrotoluene	13.093	1643386	278.887 ug/L


(f)=RT Delta > 1/2 Window


(m)=manual int.

Data Path : X:\HPCHEM1\HPLC_L\Data\HL052512\
Data File : HL003089.D
Signal(s) : VWD1A.CH
Acq On : 26-May-2012, 04:49
Operator : HLM
Sample : PB63366BS1
Misc :
ALS Vial : 33 Sample Multiplier: 1

Integration File: events.e
Quant Time: Jun 05 04:21:06 2012
Quant Method : X:\HPCHEM1\HPLC_L\methods\HL050312.M
Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
QLast Update : Fri May 04 10:29:09 2012
Response via : Initial Calibration
Integrator: ChemStation


Volume Inj. :
Signal Phase :
Signal Info :






#1 4-Nitroaniline

R.T.: 1.389 min
Delta R.T.: -0.024 min
Response: 1235617
Conc: 337.71 ug/L




#4 1,3,5-Trinitrobenzene

R.T.: 2.814 min
Delta R.T.: -0.018 min
Response: 2763599
Conc: 220.37 ug/L




#5 Tetryl

R.T.: 6.425 min
Delta R.T.: 0.001 min
Response: 1753864
Conc: 195.26 ug/L




#6 2,4,6-Trinitrotoluene

R.T.: 6.822 min
Delta R.T.: 0.026 min
Response: 2927861
Conc: 243.51 ug/L




#7 2-Amino-4,6-dinitrotoluene

R.T.: 7.263 min
Delta R.T.: -0.050 min
Response: 2501079
Conc: 226.91 ug/L




#8 4-Amino-2,6-dinitrotoluene

R.T.: 7.628 min
Delta R.T.: -0.021 min
Response: 1797915
Conc: 237.49 ug/L




#9 2,4-Dinitrotoluene

R.T.: 8.514 min
Delta R.T.: 0.008 min
Response: 3707074
Conc: 228.39 ug/L




#10 2,6-Dinitrotoluene


R.T.: 8.930 min
Delta R.T.: 0.037 min
Response: 2617790
Conc: 291.43 ug/L




#11 1,3-Dinitrobenzene
 R.T.: 3.731 min
 Delta R.T.: -0.021 min
 Response: 3865310
 Conc: 220.07 ug/L




#12 Nitrobenzene
 R.T.: 5.021 min
 Delta R.T.: -0.016 min
 Response: 2352803
 Conc: 212.98 ug/L



#13 2-Nitrotoluene
 R.T.: 12.263 min
 Delta R.T.: -0.002 min
 Response: 3834710
 Conc: 551.58 ug/L



#14 3-Nitrotoluene
 R.T.: 14.427 min
 Delta R.T.: 0.061 min
 Response: 1749381
 Conc: 232.35 ug/L



#15 4-Nitrotoluene

R.T.: 13.093 min
Delta R.T.: 0.044 min
Response: 1643386
Conc: 278.89 ug/L