

Data Path : X:\HPCHEM1\HPLC_L\Data\HL052512\
 Data File : HL003091.D
 Signal(s) : VWD1A.CH
 Acq On : 26-May-2012, 05:43
 Operator : HLM
 Sample : PB63366BSD1
 Misc :
 ALS Vial : 35 Sample Multiplier: 1

Integration File: events.e
 Quant Time: Jun 05 04:21:24 2012
 Quant Method : X:\HPCHEM1\HPLC_L\methods\HL050312.M
 Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 QLast Update : Fri May 04 10:29:09 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound		R.T.	Response	Conc Units

System Monitoring Compounds				
Target Compounds				
4) T	1,3,5-Trinitrobenzene	2.811f	2630154	209.728 ug/L
5) T	Tetryl	6.424	1640381	182.627 ug/L
6) T	2,4,6-Trinitrotoluene	6.818	2774938	230.787 ug/L
7) T	2-Amino-4,6-dinitroto...	7.260f	2364023	214.475 ug/L
8) T	4-Amino-2,6-dinitroto...	7.625	1708012	225.612 ug/L
9) T	2,4-Dinitrotoluene	8.508	3343717	206.004 ug/L
10) T	2,6-Dinitrotoluene	8.919	1846244	205.535 ug/L
11) T	1,3-Dinitrobenzene	3.728f	3665475	208.696 ug/L
12) T	Nitrobenzene	5.018	2251316	203.795 ug/L
13) T	2-Nitrotoluene	12.309	1411575	203.041 ug/L
14) T	3-Nitrotoluene	14.422	1545194	205.233 ug/L
15) T	4-Nitrotoluene	13.100	1198605	203.406 ug/L


(f)=RT Delta > 1/2 Window


(m)=manual int.

Data Path : X:\HPCHEM1\HPLC_L\Data\HL052512\
Data File : HL003091.D
Signal(s) : VWD1A.CH
Acq On : 26-May-2012, 05:43
Operator : HLM
Sample : PB63366BSD1
Misc :
ALS Vial : 35 Sample Multiplier: 1

Integration File: events.e
Quant Time: Jun 05 04:21:24 2012
Quant Method : X:\HPCHEM1\HPLC_L\methods\HL050312.M
Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
QLast Update : Fri May 04 10:29:09 2012
Response via : Initial Calibration
Integrator: ChemStation


Volume Inj. :
Signal Phase :
Signal Info :






#1 4-Nitroaniline

R.T.: 0.000 min
Exp R.T.: 1.413 min
Response: 0
Conc: N.D.




#4 1,3,5-Trinitrobenzene

R.T.: 2.811 min
Delta R.T.: -0.021 min
Response: 2630154
Conc: 209.73 ug/L




#5 Tetryl

R.T.: 6.424 min
Delta R.T.: 0.000 min
Response: 1640381
Conc: 182.63 ug/L




#6 2,4,6-Trinitrotoluene

R.T.: 6.818 min
Delta R.T.: 0.022 min
Response: 2774938
Conc: 230.79 ug/L




#7 2-Amino-4,6-dinitrotoluene

R.T.: 7.260 min
Delta R.T.: -0.053 min
Response: 2364023
Conc: 214.47 ug/L




#8 4-Amino-2,6-dinitrotoluene

R.T.: 7.625 min
Delta R.T.: -0.024 min
Response: 1708012
Conc: 225.61 ug/L




#9 2,4-Dinitrotoluene

R.T.: 8.508 min
Delta R.T.: 0.002 min
Response: 3343717
Conc: 206.00 ug/L




#10 2,6-Dinitrotoluene


R.T.: 8.919 min
Delta R.T.: 0.026 min
Response: 1846244
Conc: 205.53 ug/L




#11 1,3-Dinitrobenzene
 R.T.: 3.728 min
 Delta R.T.: -0.024 min
 Response: 3665475
 Conc: 208.70 ug/L




#12 Nitrobenzene
 R.T.: 5.018 min
 Delta R.T.: -0.020 min
 Response: 2251316
 Conc: 203.80 ug/L



#13 2-Nitrotoluene
 R.T.: 12.309 min
 Delta R.T.: 0.044 min
 Response: 1411575
 Conc: 203.04 ug/L



#14 3-Nitrotoluene
 R.T.: 14.422 min
 Delta R.T.: 0.056 min
 Response: 1545194
 Conc: 205.23 ug/L



#15 4-Nitrotoluene

R.T.: 13.100 min
Delta R.T.: 0.050 min
Response: 1198605
Conc: 203.41 ug/L