

Data Path : X:\HPCHEM1\HPLC_L\Data\HL052512\
 Data File : HL003059.D
 Signal(s) : VWD1A.CH
 Acq On : 25-May-2012, 15:20
 Operator : HLM
 Sample : 8330-CCV
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Integration File: events.e
 Quant Time: Jun 05 04:06:55 2012
 Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL050312.M
 Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 QLast Update : Tue May 29 13:14:05 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
1) S 4-Nitroaniline	1.389	4147575	1133.570 ug/L
Spiked Amount 300.000	Range 37 - 149	Recovery	= 377.86%#
Target Compounds			
2) T HMX	0.925	4305531	1003.165 ug/L
3) T RDX	1.789	5870226	1040.741 ug/L
4) T 1,3,5-Trinitrobenzene	2.812	6165848	491.663 ug/L
5) T Tetryl	6.425	8990343	1000.912 ug/L
6) T 2,4,6-Trinitrotoluene	6.824	6011724	499.986 ug/L
7) T 2-Amino-4,6-dinitroto...	7.261	5801331	526.323 ug/L
8) T 4-Amino-2,6-dinitroto...	7.624	3960991	523.209 ug/L
9) T 2,4-Dinitrotoluene	8.513	8052179	496.090 ug/L
10) T 2,6-Dinitrotoluene	8.922	4488633	499.701 ug/L
11) T 1,3-Dinitrobenzene	3.729	8680789	494.245 ug/L
12) T Nitrobenzene	5.020	5634713	510.069 ug/L
13) T 2-Nitrotoluene	12.309	7072851	1017.357 ug/L
14) T 3-Nitrotoluene	14.423	7650341	1016.120 ug/L
15) T 4-Nitrotoluene	13.107	6054550	1027.473 ug/L
16) T 3,5-Dinitroaniline	4.063	18717255	1049.354 ug/L
18) T PETN	19.690	23223814	2278.499 ug/L

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : X:\HPCHEM1\HPLC_L\Data\HL052512\
Data File : HL003059.D
Signal(s) : VWD1A.CH
Acq On : 25-May-2012, 15:20
Operator : HLM
Sample : 8330-CCV
Misc :
ALS Vial : 2 Sample Multiplier: 1

Integration File: events.e
Quant Time: Jun 05 04:06:55 2012
Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL050312.M
Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
QLast Update : Tue May 29 13:14:05 2012
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. :
Signal Phase :
Signal Info :

