

Data Path : X:\HPCHEM1\HPLC_L\Data\HL052512\
 Data File : HL003062.D
 Signal(s) : VWD1A.CH
 Acq On : 25-May-2012, 16:41
 Operator : HLM
 Sample : PB63339BS1
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Integration File: events.e
 Quant Time: Jun 05 04:07:13 2012
 Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL050312.M
 Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 QLast Update : Tue May 29 13:14:05 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
1) S 4-Nitroaniline	1.389	1296043	354.220 ug/L
Spiked Amount 300.000	Range 37 - 149	Recovery	= 118.07%
Target Compounds			
2) T HMX	0.926	900730	214.693 ug/L
3) T RDX	1.790	1281927	227.275 ug/L
4) T 1,3,5-Trinitrobenzene	2.814	2869068	228.779 ug/L
5) T Tetryl	6.426	1741361	193.869 ug/L
6) T 2,4,6-Trinitrotoluene	6.824	2972991	247.259 ug/L
7) T 2-Amino-4,6-dinitroto...	7.266	2494179	226.283 ug/L
8) T 4-Amino-2,6-dinitroto...	7.630	1779330	235.033 ug/L
9) T 2,4-Dinitrotoluene	8.517	3550155	218.723 ug/L
10) T 2,6-Dinitrotoluene	8.923	1915131	213.204 ug/L
11) T 1,3-Dinitrobenzene	3.732	3980309	226.621 ug/L
12) T Nitrobenzene	5.024	2396723	216.958 ug/L
13) T 2-Nitrotoluene	12.315	1551815	223.213 ug/L
14) T 3-Nitrotoluene	14.422	1647269	218.791 ug/L
15) T 4-Nitrotoluene	13.112	1265307	214.726 ug/L
16) T 3,5-Dinitroaniline	4.061	3247358	182.058 ug/L
18) T PETN	19.702	2056715	201.785 ug/L

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : X:\HPCHEM1\HPLC_L\Data\HL052512\
Data File : HL003062.D
Signal(s) : VWD1A.CH
Acq On : 25-May-2012, 16:41
Operator : HLM
Sample : PB63339BS1
Misc :
ALS Vial : 12 Sample Multiplier: 1

Integration File: events.e
Quant Time: Jun 05 04:07:13 2012
Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL050312.M
Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
QLast Update : Tue May 29 13:14:05 2012
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. :
Signal Phase :
Signal Info :

