

Data Path : X:\HPCHEM1\HPLC_L\Data\HL052512\
 Data File : HL003065.D
 Signal(s) : VWD1A.CH
 Acq On : 25-May-2012, 18:02
 Operator : HLM
 Sample : D2735-02MS1
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Integration File: events.e
 Quant Time: Jun 05 04:07:36 2012
 Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL050312.M
 Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 QLast Update : Tue May 29 13:14:05 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
1) S 4-Nitroaniline	1.392	2057663	562.378 ug/L
Spiked Amount 300.000	Range 37 - 149	Recovery	= 187.46%#
Target Compounds			
2) T HMX	0.929	1118009	265.010 ug/L
3) T RDX	1.795	1641561	291.035 ug/L
4) T 1,3,5-Trinitrobenzene	2.820	3784014	301.736 ug/L
5) T Tetryl	6.436	2482433	276.374 ug/L
6) T 2,4,6-Trinitrotoluene	6.833	3985663	331.482 ug/L
7) T 2-Amino-4,6-dinitroto...	7.280	3475486	315.312 ug/L
8) T 4-Amino-2,6-dinitroto...	7.644	2565292	338.851 ug/L
9) T 2,4-Dinitrotoluene	8.528	4850331	298.826 ug/L
10) T 2,6-Dinitrotoluene	8.940	2705301	301.170 ug/L
11) T 1,3-Dinitrobenzene	3.739	5396353	307.244 ug/L
12) T Nitrobenzene	5.033	3316352	300.205 ug/L
13) T 2-Nitrotoluene	12.334	2084337	299.810 ug/L
14) T 3-Nitrotoluene	14.449	2245661	298.269 ug/L
15) T 4-Nitrotoluene	13.137	1737009	294.775 ug/L
16) T 3,5-Dinitroaniline	4.069	4328800	242.688 ug/L
18) T PETN	19.716	2574790	252.614 ug/L

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : X:\HPCHEM1\HPLC_L\Data\HL052512\
Data File : HL003065.D
Signal(s) : VWD1A.CH
Acq On : 25-May-2012, 18:02
Operator : HLM
Sample : D2735-02MS1
Misc :
ALS Vial : 15 Sample Multiplier: 1

Integration File: events.e
Quant Time: Jun 05 04:07:36 2012
Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL050312.M
Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
QLast Update : Tue May 29 13:14:05 2012
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. :
Signal Phase :
Signal Info :

