

Data Path : X:\HPCHEM1\HPLC_L\Data\HL052512\
 Data File : HL003072.D
 Signal(s) : VWD1A.CH
 Acq On : 25-May-2012, 21:10
 Operator : HLM
 Sample : 8330-CCV
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Integration File: events.e
 Quant Time: Jun 05 04:08:22 2012
 Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL050312.M
 Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 QLast Update : Tue May 29 13:14:05 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
1) S 4-Nitroaniline	1.388	4074560	1113.614 ug/L
Spiked Amount 300.000	Range 37 - 149	Recovery	= 371.20%#
Target Compounds			
2) T HMX	0.924	4653805	1083.817 ug/L
3) T RDX	1.788	6211850	1101.308 ug/L
4) T 1,3,5-Trinitrobenzene	2.809	6267163	499.742 ug/L
5) T Tetryl	6.419	9170504	1020.970 ug/L
6) T 2,4,6-Trinitrotoluene	6.817	6106793	507.893 ug/L
7) T 2-Amino-4,6-dinitroto...	7.255	5909958	536.178 ug/L
8) T 4-Amino-2,6-dinitroto...	7.617	3977061	525.332 ug/L
9) T 2,4-Dinitrotoluene	8.504	8214225	506.073 ug/L
10) T 2,6-Dinitrotoluene	8.913	4527528	504.031 ug/L
11) T 1,3-Dinitrobenzene	3.725	8779312	499.855 ug/L
12) T Nitrobenzene	5.015	5544807	501.931 ug/L
13) T 2-Nitrotoluene	12.297	6959561	1001.061 ug/L
14) T 3-Nitrotoluene	14.410	7693772	1021.889 ug/L
15) T 4-Nitrotoluene	13.096	5790745	982.705 ug/L
16) T 3,5-Dinitroaniline	4.059	18750606	1051.224 ug/L
18) T PETN	19.691	24207401	2374.999 ug/L m

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : X:\HPCHEM1\HPLC_L\Data\HL052512\
Data File : HL003072.D
Signal(s) : VWD1A.CH
Acq On : 25-May-2012, 21:10
Operator : HLM
Sample : 8330-CCV
Misc :
ALS Vial : 2 Sample Multiplier: 1

Integration File: events.e
Quant Time: Jun 05 04:08:22 2012
Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL050312.M
Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
QLast Update : Tue May 29 13:14:05 2012
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. :
Signal Phase :
Signal Info :

