

Data Path : X:\HPCHEM1\HPLC_L\Data\HL052512\
 Data File : HL003091.D
 Signal(s) : VWD1A.CH
 Acq On : 26-May-2012, 05:43
 Operator : HLM
 Sample : PB63366BSD1
 Misc :
 ALS Vial : 35 Sample Multiplier: 1

Integration File: events.e
 Quant Time: Jun 05 04:10:24 2012
 Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL050312.M
 Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 QLast Update : Tue May 29 13:14:05 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
1) S 4-Nitroaniline	1.386	1073334	293.352 ug/L
Spiked Amount 300.000	Range 37 - 149	Recovery =	97.78%
Target Compounds			
2) T HMX	0.924	868811	207.301 ug/L
3) T RDX	1.788	1178313	208.905 ug/L
4) T 1,3,5-Trinitrobenzene	2.811	2630154	209.728 ug/L
5) T Tetryl	6.424	1640381	182.627 ug/L
6) T 2,4,6-Trinitrotoluene	6.818	2774938	230.787 ug/L
7) T 2-Amino-4,6-dinitroto...	7.260	2364023	214.475 ug/L
8) T 4-Amino-2,6-dinitroto...	7.625	1708012	225.612 ug/L
9) T 2,4-Dinitrotoluene	8.508	3343717	206.004 ug/L
10) T 2,6-Dinitrotoluene	8.919	1846244	205.535 ug/L
11) T 1,3-Dinitrobenzene	3.728	3665475	208.696 ug/L
12) T Nitrobenzene	5.018	2251316	203.795 ug/L
13) T 2-Nitrotoluene	12.309	1411575	203.041 ug/L
14) T 3-Nitrotoluene	14.422	1553692	206.362 ug/L
15) T 4-Nitrotoluene	13.100	1198605	203.406 ug/L
16) T 3,5-Dinitroaniline	4.056	2953020	165.557 ug/L
18) T PETN	19.662	970013	95.168 ug/L m

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : X:\HPCHEM1\HPLC_L\Data\HL052512\
Data File : HL003091.D
Signal(s) : VWD1A.CH
Acq On : 26-May-2012, 05:43
Operator : HLM
Sample : PB63366BSD1
Misc :
ALS Vial : 35 Sample Multiplier: 1

Integration File: events.e
Quant Time: Jun 05 04:10:24 2012
Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL050312.M
Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
QLast Update : Tue May 29 13:14:05 2012
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. :
Signal Phase :
Signal Info :

