

Data Path : X:\HPCHEM1\HPLC_L\Data\HL052512\
 Data File : HL003096.D
 Signal(s) : VWD1A.CH
 Acq On : 26-May-2012, 07:57
 Operator : HLM
 Sample : 8330-CCV
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Integration File: events.e
 Quant Time: Jun 05 04:10:54 2012
 Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL050312.M
 Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 QLast Update : Tue May 29 13:14:05 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
1) S 4-Nitroaniline	1.390	4104821	1121.885 ug/L
Spiked Amount 300.000	Range 37 - 149	Recovery	= 373.96%#
Target Compounds			
2) T HMX	0.927	4475605	1042.550 ug/L
3) T RDX	1.791	6071259	1076.383 ug/L
4) T 1,3,5-Trinitrobenzene	2.811	6240543	497.619 ug/L
5) T Tetryl	6.425	8969273	998.567 ug/L
6) T 2,4,6-Trinitrotoluene	6.819	5964681	496.074 ug/L
7) T 2-Amino-4,6-dinitroto...	7.262	5769015	523.391 ug/L
8) T 4-Amino-2,6-dinitroto...	7.625	3904126	515.698 ug/L
9) T 2,4-Dinitrotoluene	8.508	8166077	503.107 ug/L
10) T 2,6-Dinitrotoluene	8.916	4526998	503.972 ug/L
11) T 1,3-Dinitrobenzene	3.728	8770102	499.331 ug/L
12) T Nitrobenzene	5.016	5448439	493.207 ug/L
13) T 2-Nitrotoluene	12.301	7489562	1077.296 ug/L
14) T 3-Nitrotoluene	14.415	7891014	1048.086 ug/L
15) T 4-Nitrotoluene	13.099	6520201	1106.495 ug/L
16) T 3,5-Dinitroaniline	4.063	18970883	1063.573 ug/L
18) T PETN	19.685	23617400	2317.114 ug/L

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : X:\HPCHEM1\HPLC_L\Data\HL052512\
Data File : HL003096.D
Signal(s) : VWD1A.CH
Acq On : 26-May-2012, 07:57
Operator : HLM
Sample : 8330-CCV
Misc :
ALS Vial : 2 Sample Multiplier: 1

Integration File: events.e
Quant Time: Jun 05 04:10:54 2012
Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL050312.M
Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
QLast Update : Tue May 29 13:14:05 2012
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. :
Signal Phase :
Signal Info :

