



Data Path : X:\HPCHEM1\HPLC_L\Data\HL052512\
Data File : HL003065.D
Signal(s) : VWD1A.CH
Acq On : 25-May-2012, 18:02
Operator : HLM
Sample : D2735-02MS1
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
HPLC_L
ClientSampleId :
MW-21MS1

Integration File: events.e
Quant Time: Jun 05 04:07:36 2012
Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL050312.M
Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
QLast Update : Tue May 29 13:14:05 2012
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. :
Signal Phase :
Signal Info :






#1 4-Nitroaniline


R.T.: 1.392 min
Delta R.T.: 0.003 min
Response: 2057663
Conc: 562.38 ug/L

Instrument :
HPLC_L
ClientSampleId :
MW-21MS1




#2 HMX

R.T.: 0.929 min
Delta R.T.: 0.004 min
Response: 1118009
Conc: 265.01 ug/L




#3 RDX

R.T.: 1.795 min
Delta R.T.: 0.006 min
Response: 1641561
Conc: 291.03 ug/L



#4 1,3,5-Trinitrobenzene


R.T.: 2.820 min
Delta R.T.: 0.008 min
Response: 3784014
Conc: 301.74 ug/L



#5 Tetryl


R.T.: 6.436 min
 Delta R.T.: 0.012 min
 Response: 2482433
 Conc: 276.37 ug/L

Instrument :
 HPLC_L
 ClientSampleId :
 MW-21MS1




#6 2,4,6-Trinitrotoluene

R.T.: 6.833 min
 Delta R.T.: 0.010 min
 Response: 3985663
 Conc: 331.48 ug/L




#7 2-Amino-4,6-dinitrotoluene

R.T.: 7.280 min
 Delta R.T.: 0.019 min
 Response: 3475486
 Conc: 315.31 ug/L



#8 4-Amino-2,6-dinitrotoluene


R.T.: 7.644 min
 Delta R.T.: 0.020 min
 Response: 2565292
 Conc: 338.85 ug/L



#9 2,4-Dinitrotoluene


R.T.: 8.528 min
Delta R.T.: 0.015 min
Response: 4850331
Conc: 298.83 ug/L

Instrument :
HPLC_L
ClientSampleId :
MW-21MS1




#10 2,6-Dinitrotoluene

R.T.: 8.940 min
Delta R.T.: 0.018 min
Response: 2705301
Conc: 301.17 ug/L




#11 1,3-Dinitrobenzene

R.T.: 3.739 min
Delta R.T.: 0.010 min
Response: 5396353
Conc: 307.24 ug/L



#12 Nitrobenzene


R.T.: 5.033 min
Delta R.T.: 0.013 min
Response: 3316352
Conc: 300.21 ug/L



#13 2-Nitrotoluene


R.T.: 12.334 min
 Delta R.T.: 0.025 min
 Response: 2084337
 Conc: 299.81 ug/L

Instrument :
 HPLC_L
 ClientSampleId :
 MW-21MS1




#14 3-Nitrotoluene

R.T.: 14.449 min
 Delta R.T.: 0.026 min
 Response: 2245661
 Conc: 298.27 ug/L




#15 4-Nitrotoluene

R.T.: 13.137 min
 Delta R.T.: 0.030 min
 Response: 1737009
 Conc: 294.78 ug/L



#16 3,5-Dinitroaniline

R.T.: 4.069 min
 Delta R.T.: 0.006 min
 Response: 4328800
 Conc: 242.69 ug/L



#18 PETN

R.T.: 19.716 min
Delta R.T.: 0.026 min
Response: 2574790
Conc: 252.61 ug/L

Instrument :
HPLC_L
ClientSampleId :
MW-21MS1

Data Path : X:\HPCHEM1\HPLC_L\Data\HL052512\
 Data File : HL003065.D
 Signal(s) : VWD1A.CH
 Acq On : 25-May-2012, 18:02
 Operator : HLM
 Sample : D2735-02MS1
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 HPLC_L
 ClientSampleId :
 MW-21MS1

Integration File: events.e
 Quant Time: Jun 05 04:07:36 2012
 Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL050312.M
 Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 QLast Update : Tue May 29 13:14:05 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
1) S 4-Nitroaniline	1.392	2057663	562.378 ug/L
Spiked Amount 300.000	Range 37 - 149	Recovery	= 187.46%#
Target Compounds			
2) T HMX	0.929	1118009	265.010 ug/L
3) T RDX	1.795	1641561	291.035 ug/L
4) T 1,3,5-Trinitrobenzene	2.820	3784014	301.736 ug/L
5) T Tetryl	6.436	2482433	276.374 ug/L
6) T 2,4,6-Trinitrotoluene	6.833	3985663	331.482 ug/L
7) T 2-Amino-4,6-dinitroto...	7.280	3475486	315.312 ug/L
8) T 4-Amino-2,6-dinitroto...	7.644	2565292	338.851 ug/L
9) T 2,4-Dinitrotoluene	8.528	4850331	298.826 ug/L
10) T 2,6-Dinitrotoluene	8.940	2705301	301.170 ug/L
11) T 1,3-Dinitrobenzene	3.739	5396353	307.244 ug/L
12) T Nitrobenzene	5.033	3316352	300.205 ug/L
13) T 2-Nitrotoluene	12.334	2084337	299.810 ug/L
14) T 3-Nitrotoluene	14.449	2245661	298.269 ug/L
15) T 4-Nitrotoluene	13.137	1737009	294.775 ug/L
16) T 3,5-Dinitroaniline	4.069	4328800	242.688 ug/L
18) T PETN	19.716	2574790	252.614 ug/L

(f)=RT Delta > 1/2 Window

(m)=manual int.