

Data Path : S:\HPCHEM1\HPLC_L\Data\HL052813\
Data File : HL005309.D
Signal(s) : VWD1A.CH
Acq On : 29-May-2013, 00:19
Operator : QM
Sample : HSTDCCC0500
Misc :
ALS Vial : 1 Sample Multiplier: 1

Instrument :
HPLC_L
LabSampleId :
HSTDCCC0500

Integration File: autoint1.e
Quant Time: Jun 03 05:48:54 2013
Quant Method : Z:\HPCHEM1\HPLC_L\METHODS\HL052213.M
Quant Title :
QLast Update : Thu May 23 10:06:03 2013
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 50 ul
Signal Phase : ZORBAX Extend-C18
Signal Info : 4.6 X 100mm 3.5-Micron 80A

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(Min)
1 S	4-Nitroaniline	500.000	499.593	0.1	107	0.00
2 T	HMX	500.000	518.539	-3.7	103	0.00
3 T	RDX	500.000	481.580	3.7	100	0.00
4 T	1,3,5-Trinitrobenzene	500.000	510.536	-2.1	101	0.00
5 T	1,3-Dinitrobenzene	500.000	508.213	-1.6	98	-0.01
6 T	3,5-Dinitroaniline	500.000	498.892	0.2	101	0.00
7 T	Nitrobenzene	500.000	509.161	-1.8	107	0.00
8 T	Tetryl	500.000	449.445	10.1	89	0.04
9 T	2,4,6-Trinitrotoluene	500.000	513.951	-2.8	106	0.03
10 T	2-Amino-4,6-dinitrotoluene	500.000	488.528	2.3	97	0.02
11 T	4-Amino-2,6-dinitrotoluene	500.000	541.152	-8.2	96	0.02
12 T	2,4-Dinitrotoluene	500.000	484.319	3.1	100	0.03
13 T	2,6-Dinitrotoluene	500.000	436.536	12.7	88	0.03
14 T	2-Nitrotoluene	500.000	431.871	13.6	91	-0.03
15 T	4-Nitrotoluene	500.000	430.335	13.9	89	-0.04
16 T	3-Nitrotoluene	500.000	518.856	-3.8	99	-0.05
17 T	PETN	500.000	484.978	3.0	108	0.18

Evaluate Continuing Calibration Report - Not Found

(#) = Out of Range

SPCC's out = 0 CCC's out = 0