

Method Path : Z:\HPCHEM1\HPLC_L\methods\
 Method File : HL053012.M
 Title : SW8330 / 8330A confirmation
 Last Update : Thu May 31 11:08:18 2012
 Response Via : Initial Calibration

Calibration Files

CAL1 =HL003104.D CAL2 =HL003103.D CAL3 =HL003102.D
 CAL4 =HL003101.D CAL5 =HL003100.D CAL6 =HL003099.D

	Compound	CAL1	CAL2	CAL3	CAL4	CAL5	CAL6	Avg		%RSD
1) S	4-Nitroaniline	1.106	0.961	1.002	1.011	1.002	0.999	1.014	E4	4.79
2) T	HMX	0.987	0.961	0.998	0.986	0.986	1.013	0.989	E4	1.72
3) T	RDX	1.328	1.290	1.336	1.426	1.444	1.415	1.373	E4	4.59
4) T	1,3,5-Trinitr...	2.711	2.631	2.858	2.828	2.831	2.847	2.784	E4	3.31
5) T	Tetryl	1.960	2.108	2.201	2.162	2.151	2.162	2.124	E4	4.03
6) T	2,4,6-Trinitr...	2.482	2.733	2.775	2.714	2.723	2.738	2.694	E4	3.93
7) T	2-Amino-4,6-d...	4.873	4.742	4.833	4.773	4.816	4.847	4.814	E4	1.01
8) T	4-Amino-2,6-d...	5.015	4.742	4.833	4.773	4.816	4.847	4.838	E4	1.97
9) T	2,4-Dinitroto...	3.626	3.809	4.042	3.944	3.964	3.998	3.897	E4	3.96
10) T	2,6-Dinitroto...	2.330	1.897	2.088	2.060	2.010	2.046	2.072	E4	6.90
11) T	1,3-Dinitrobe...	4.021	4.076	4.142	4.100	4.138	4.183	4.110	E4	1.39
12) T	Nitrobenzene	2.629	2.753	2.861	2.833	2.846	2.907	2.805	E4	3.55
13) T	2-Nitrotoluene	1.765	1.809	1.843	1.826	1.837	1.859	1.823	E4	1.80
14) T	3-Nitrotoluene	2.016	1.975	1.987	1.971	1.978	2.005	1.989	E4	0.91
15) T	4-Nitrotoluene	1.696	1.569	1.599	1.583	1.589	1.608	1.607	E4	2.84
16) T	3,5-Dinitroan...	3.626	3.568	3.557	3.571	3.577	3.627	3.588	E4	0.86
17) T	Nitroglycerin		1.462	1.389	1.277	1.365	1.416	1.382	E2	5.00
18) T	PETN							0.000		-1.00

(#) = Out of Range