

Method Path : S:\HPCHEM1\HPLC_L\methods\
 Method File : HL053013.M
 Title :
 Last Update : Fri May 31 16:54:32 2013
 Response Via : Initial Calibration

Calibration Files

5000 =HL005332.D 2000 =HL005333.D 1000 =HL005334.D
 500 =HL005355.D 100 =HL005336.D 20 =HL005337.D

	Compound	5000	2000	1000	500	100	20	Avg		%RSD
1) S	4-Nitroaniline	4.354	4.362	4.612	3.882	3.603		4.163	E3	9.84
2) T	HMX	4.368	4.633	4.485	4.333	3.836	4.436	4.348	E3	6.26
3) T	RDX	5.211	5.119	5.337	5.258	4.895		5.164	E3	3.29
4) T	1,3,5-Trinitr...	1.079	1.070	1.111	1.125	1.103	1.083	1.095	E4	1.93
5) T	1,3-Dinitrobe...	1.622	1.575	1.590	1.617	1.549	1.676	1.605	E4	2.77
6) T	3,5-Dinitroan...	1.349	1.334	1.355	1.406	1.368	1.330	1.357	E4	2.06
7) T	Nitrobenzene	0.989	0.987	1.037	1.014	0.991	1.004	1.003	E4	1.91
8) T	Tetryl	5.555	6.459	7.069	6.902	8.057	9.627	7.278	E3	19.38
9) T	2,4,6-Trinitr...	1.227	1.104	1.117	1.206	1.127	1.295	1.180	E4	6.44
10) T	2-Amino-4,6-d...	1.382	1.175	1.113	1.125	1.128	1.121	1.174	E4	8.87
11) T	4-Amino-2,6-d...	4.218	5.867	6.282	6.839	7.226	7.263	6.282	E3	18.29
12) T	2,4-Dinitroto...	1.582	1.628	1.577	1.536	1.519	1.622	1.577	E4	2.80
13) T	2,6-Dinitroto...	7.587	8.605	8.835	8.397	8.890	8.312	8.438	E3	5.64
14) T	2-Nitrotoluene	6.412	6.697	6.710	6.967	6.710	6.354	6.642	E3	3.39
15) T	4-Nitrotoluene	5.322	5.465	5.538	5.915	5.567	5.011	5.470	E3	5.46
16) T	3-Nitrotoluene	6.983	6.782	7.181	7.128	7.439	6.534	7.008	E3	4.54
17) T	PETN	0.914	0.979	1.106	0.791	0.670		0.892	E4	18.86

(#) = Out of Range