

Data Path : X:\HPCHEM1\HPLC_L\Data\HL060112\
 Data File : HL003159.D
 Signal(s) : VWD1A.CH
 Acq On : 02-Jun-2012, 03:44
 Operator : HLM
 Sample : 8330-CCV
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Integration File: events.e
 Quant Time: Jun 05 04:02:51 2012
 Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL050312.M
 Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 QLast Update : Mon Jun 04 10:17:03 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
1) S 4-Nitroaniline	1.368	3776685	1032.202 ug/L
Spiked Amount 300.000	Range 37 - 149	Recovery	= 344.07%#
Target Compounds			
2) T HMX	0.914	4262752	993.258 ug/L
3) T RDX	1.761	5774069	1023.693 ug/L
4) T 1,3,5-Trinitrobenzene	2.761	5988698	477.537 ug/L
5) T Tetryl	6.260	8612744	958.873 ug/L
6) T 2,4,6-Trinitrotoluene	6.664	5791126	481.639 ug/L
7) T 2-Amino-4,6-dinitroto...	7.085	5580807	506.316 ug/L
8) T 4-Amino-2,6-dinitroto...	7.430	3786517	500.163 ug/L
9) T 2,4-Dinitrotoluene	8.310	7735758	476.595 ug/L
10) T 2,6-Dinitrotoluene	8.701	4355702	484.903 ug/L
11) T 1,3-Dinitrobenzene	3.658	8402431	478.397 ug/L
12) T Nitrobenzene	4.919	5411072	489.825 ug/L
13) T 2-Nitrotoluene	12.005	6825924	981.839 ug/L m
14) T 3-Nitrotoluene	14.065	7176684	953.209 ug/L m
15) T 4-Nitrotoluene	12.781	5925453	1005.565 ug/L m
16) T 3,5-Dinitroaniline	3.980	18540657	1039.453 ug/L
18) T PETN	19.190	22677879	2224.937 ug/L

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : X:\HPCHEM1\HPLC_L\Data\HL060112\
Data File : HL003159.D
Signal(s) : VWD1A.CH
Acq On : 02-Jun-2012, 03:44
Operator : HLM
Sample : 8330-CCV
Misc :
ALS Vial : 2 Sample Multiplier: 1

Integration File: events.e
Quant Time: Jun 05 04:02:51 2012
Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL050312.M
Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
QLast Update : Mon Jun 04 10:17:03 2012
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. :
Signal Phase :
Signal Info :

