

Data Path : X:\HPCHEM1\HPLC_L\Data\HL060112\
 Data File : HL003164.D
 Signal(s) : VWD1A.CH
 Acq On : 02-Jun-2012, 05:59
 Operator : HLM
 Sample : 8330-CCV
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Integration File: events.e
 Quant Time: Jun 05 04:03:21 2012
 Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL050312.M
 Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 QLast Update : Mon Jun 04 10:17:03 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
1) S 4-Nitroaniline	1.365	3729932	1019.425 ug/L
Spiked Amount 300.000	Range 37 - 149	Recovery	= 339.81%#
Target Compounds			
2) T HMX	0.912	4192126	976.903 ug/L
3) T RDX	1.758	5416359	960.275 ug/L
4) T 1,3,5-Trinitrobenzene	2.763	5895770	470.127 ug/L
5) T Tetryl	6.264	8640564	961.971 ug/L m
6) T 2,4,6-Trinitrotoluene	6.669	6800780	565.611 ug/L m
7) T 2-Amino-4,6-dinitroto...	7.087	6650377	603.352 ug/L m
8) T 4-Amino-2,6-dinitroto...	7.425	4268744	563.861 ug/L m
9) T 2,4-Dinitrotoluene	8.313	7344165	452.469 ug/L m
10) T 2,6-Dinitrotoluene	8.701	3869853	430.815 ug/L m
11) T 1,3-Dinitrobenzene	3.657	8000348	455.504 ug/L
12) T Nitrobenzene	4.917	5045580	456.740 ug/L
13) T 2-Nitrotoluene	12.017	5734810	824.893 ug/L m
14) T 3-Nitrotoluene	14.070	7985797	1060.676 ug/L m
15) T 4-Nitrotoluene	12.809	5296044	898.753 ug/L m
16) T 3,5-Dinitroaniline	3.981	17475670	979.747 ug/L
18) T PETN	19.200	21675304	2126.574 ug/L m

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : X:\HPCHEM1\HPLC_L\Data\HL060112\
Data File : HL003164.D
Signal(s) : VWD1A.CH
Acq On : 02-Jun-2012, 05:59
Operator : HLM
Sample : 8330-CCV
Misc :
ALS Vial : 2 Sample Multiplier: 1

Integration File: events.e
Quant Time: Jun 05 04:03:21 2012
Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL050312.M
Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
QLast Update : Mon Jun 04 10:17:03 2012
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. :
Signal Phase :
Signal Info :

