

Data File : H:\VOL1\HPLC\HPLC L\120601\HL003148.D Vial: 2
 Acq On : 01-Jun-2012, 22:48 Operator: HLM
 Sample : 8330-CCV Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : events.e

Method : H:\VOL1\HPLC\HPLC L\METHODS\HL050312.M (Chemstation Integrator)
 Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 Last Update : Fri May 04 10:29:09 2012
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	3.659	3.886 E3	-6.2	0#	0.00
2 T	HMX	3.967	4.371 E3	-10.2	0#	0.00
3 T	RDX	5.640	5.785 E3	-2.6	0#	0.00
4 T	1,3,5-Trinitrobenzene	12.541	11.919 E3	5.0	0#	0.00
5 T	Tetryl	8.982	8.571 E3	4.6	0#	0.00
6 T	2,4,6-Trinitrotoluene	12.024	11.471 E3	4.6	0#	0.00
7 T	2-Amino-4,6-dinitrotoluene	11.022	11.131 E3	-1.0	0#	0.00
8 T	4-Amino-2,6-dinitrotoluene	7.571	7.519 E3	0.7	0#	0.00
9 T	2,4-Dinitrotoluene	16.231	15.521 E3	4.4	0#	0.00
10 T	2,6-Dinitrotoluene	8.983	8.707 E3	3.1	0#	0.00
11 T	1,3-Dinitrobenzene	17.564	16.723 E3	4.8	0#	0.00
12 T	Nitrobenzene	11.047	10.677 E3	3.3	0#	0.00
13 T	2-Nitrotoluene	6.952	6.777 E3	2.5	0#	0.00
14 T	3-Nitrotoluene	7.529	7.294 E3	3.1	0#	0.00
15 T	4-Nitrotoluene	5.893	5.742 E3	2.6	0#	0.00
16 T	3,5-Dinitroaniline	17.837	18.439 E3	-3.4	0#	0.00
18 T	PETN	10.193	9.171 E3	10.0	0#	0.00

Data File : H:\VOL1\HPLC\HPLC L\120601\HL003148.D Vial: 2
Acq On : 01-Jun-2012, 22:48 Operator: HLM
Sample : 8330-CCV Inst : G1314A
Misc : Multiplr: 1.00
IntFile : events.e

Method : H:\VOL1\HPLC\HPLC L\METHODS\HL050312.M (Chemstation Integrator)
Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
Last Update : Fri May 04 10:29:09 2012
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
17 T	Nitroglycerin	58.711	0.000	100.0#	0#	-6.21#