

Data File : H:\VOL1\HPLC\HPLC L\120601\HL003165.D Vial: 3  
Acq On : 02-Jun-2012, 06:26 Operator: HLM  
Sample : 8330NG-CCV Inst : G1314A  
Misc : Multiplr: 1.00  
IntFile : events.e

Method : H:\VOL1\HPLC\HPLC L\METHODS\HL050312.M (Chemstation Integrator)  
Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)  
Last Update : Fri May 04 10:29:09 2012  
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min  
Max. RRF Dev : 20% Max. Rel. Area : 150%

|      | Compound      | AvqRF  | CCRF   | %Dev | Area% | Dev(min) |
|------|---------------|--------|--------|------|-------|----------|
| 17 T | Nitroglycerin | 58.711 | 56.904 | 3.1  | 0#    | 0.00     |

Data File : H:\VOL1\HPLC\HPLC L\120601\HL003165.D  
 Acq On : 02-Jun-2012, 06:26  
 Sample : 8330NG-CCV  
 Misc :  
 IntFile : events.e

Vial: 3  
 Operator: HLM  
 Inst : G1314A  
 Multiplr: 1.00

Method : H:\VOL1\HPLC\HPLC L\METHODS\HL050312.M (Chemstation Integrator)  
 Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)  
 Last Update : Fri May 04 10:29:09 2012  
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min  
 Max. RRF Dev : 20% Max. Rel. Area : 150%

|      | Compound                   | AvqRF  | CCRF     | %Dev   | Area% | Dev(min) |
|------|----------------------------|--------|----------|--------|-------|----------|
| 1 S  | 4-Nitroaniline             | 3.659  | 0.000 E3 | 100.0# | 0#    | -1.37#   |
| 2 T  | HMX                        | 3.967  | 0.000 E3 | 100.0# | 0#    | -0.91#   |
| 3 T  | RDX                        | 5.640  | 0.000 E3 | 100.0# | 0#    | -1.76#   |
| 4 T  | 1,3,5-Trinitrobenzene      | 12.541 | 0.000 E3 | 100.0# | 0#    | -2.76#   |
| 5 T  | Tetryl                     | 8.982  | 0.000 E3 | 100.0# | 0#    | -6.26#   |
| 6 T  | 2,4,6-Trinitrotoluene      | 12.024 | 0.000 E3 | 100.0# | 0#    | -6.66#   |
| 7 T  | 2-Amino-4,6-dinitrotoluene | 11.022 | 0.000 E3 | 100.0# | 0#    | -7.08#   |
| 8 T  | 4-Amino-2,6-dinitrotoluene | 7.571  | 0.000 E3 | 100.0# | 0#    | -7.43#   |
| 9 T  | 2,4-Dinitrotoluene         | 16.231 | 0.000 E3 | 100.0# | 0#    | -8.31#   |
| 10 T | 2,6-Dinitrotoluene         | 8.983  | 0.000 E3 | 100.0# | 0#    | -8.70#   |
| 11 T | 1,3-Dinitrobenzene         | 17.564 | 0.000 E3 | 100.0# | 0#    | -3.65#   |
| 12 T | Nitrobenzene               | 11.047 | 0.000 E3 | 100.0# | 0#    | -4.92#   |
| 13 T | 2-Nitrotoluene             | 6.952  | 0.000 E3 | 100.0# | 0#    | -12.00#  |
| 14 T | 3-Nitrotoluene             | 7.529  | 0.000 E3 | 100.0# | 0#    | -14.06#  |
| 15 T | 4-Nitrotoluene             | 5.893  | 0.000 E3 | 100.0# | 0#    | -12.78#  |
| 16 T | 3,5-Dinitroaniline         | 17.837 | 0.000 E3 | 100.0# | 0#    | -3.98#   |
| 18 T | PETN                       | 10.193 | 0.000 E3 | 100.0# | 0#    | -19.19#  |