

Method Path : Z:\HPCHEM1\HPLC_L\METHODS\
 Method File : HL060413.M
 Title :
 Last Update : Fri Jun 07 06:52:17 2013
 Response Via : Initial Calibration

Calibration Files

5000 =HL005359.D 2000 =HL005360.D 1000 =HL005361.D
 500 =HL005365.D 100 =HL005363.D 20 =HL005364.D

	Compound	5000	2000	1000	500	100	20	Avg		%RSD
1) S	4-Nitroaniline	3.779	3.879	4.012	3.869	3.708	3.954	3.867	E3	2.87
2) T	HMX	4.062	4.243	4.357	4.801	4.128	5.415	4.501	E3	11.52
3) T	RDX	4.770	4.809	4.910	4.738	4.879	4.279	4.731	E3	4.87
4) T	1,3,5-Trinitr...	1.050	1.045	1.074	1.063	1.120	1.418	1.129	E4	12.81
5) T	1,3-Dinitrobe...	1.537	1.470	1.509	1.502	1.649	1.555	1.537	E4	4.06
6) T	3,5-Dinitroan...	1.307	1.298	1.300	1.322	1.390	1.484	1.350	E4	5.48
7) T	Nitrobenzene	0.960	0.946	0.999	0.966	1.102	0.943	0.986	E4	6.11
8) T	Tetryl	7.990	7.600	7.457	7.387	7.448	9.672	7.926	E3	11.14
9) T	2,4,6-Trinitr...	1.171	1.126	1.077	1.077	1.117	1.251	1.137	E4	5.83
10) T	2-Amino-4,6-d...	1.218	1.095	1.037	1.027	1.079	1.255	1.119	E4	8.54
11) T	4-Amino-2,6-d...	4.253	5.981	6.170	6.290	6.618	7.207	6.086	E3	16.37
12) T	2,4-Dinitroto...	1.515	1.445	1.417	1.434	1.424	1.527	1.460	E4	3.29
13) T	2,6-Dinitroto...	7.054	7.568	7.729	7.571	7.656	9.082	7.777	E3	8.78
14) T	2-Nitrotoluene	6.881	6.368	6.518	6.306	7.102	6.687	6.644	E3	4.63
15) T	4-Nitrotoluene	5.415	5.181	5.325	5.138	6.024	5.498	5.430	E3	5.91
16) T	3-Nitrotoluene	6.878	6.864	7.022	6.572	7.734	8.147	7.203	E3	8.39
17) T	PETN	0.899	0.897	1.039	1.119	0.799		0.951	E4	13.39

(#) = Out of Range