

Evaluate Continuing Calibration Report

Data File : Z:\HPCHEM1\HPLC_L\DATA\HL060413\HL005366.D Vial: 7
 Acq On : 04-Jun-2013, 18:02 Operator: QM
 Sample : HSTDICV0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : autoint1.e

Instrument :
 HPLC_L
 ClientSampleId :
 ICVHL060413

Method : Z:\HPCHEM1\HPLC_L\METHODS\HL060413.M
 Title :
 Last Update : Thu May 23 10:06:03 2013
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	500.000	504.015	-0.8	105	-0.07
2 T	HMX	500.000	445.084	11.0	88	-0.05
3 T	RDX	500.000	512.906	-2.6	95	-0.08
4 T	1,3,5-Trinitrobenzene	500.000	465.275	6.9	96	-0.12
5 T	1,3-Dinitrobenzene	500.000	482.522	3.5	93	-0.15
6 T	3,5-Dinitroaniline	500.000	470.313	5.9	95	-0.17
7 T	Nitrobenzene	500.000	479.509	4.1	97	-0.20
8 T	Tetryl	500.000	471.673	5.7	110	-0.28
9 T	2,4,6-Trinitrotoluene	500.000	465.627	6.9	97	-0.26
10 T	2-Amino-4,6-dinitrotoluene	500.000	456.593	8.7	94	-0.29
11 T	4-Amino-2,6-dinitrotoluene	500.000	524.856	-5.0	101	-0.33
12 T	2,4-Dinitrotoluene	500.000	493.487	1.3	98	-0.33
13 T	2,6-Dinitrotoluene	500.000	525.401	-5.1	102	-0.34
14 T	2-Nitrotoluene	500.000	502.330	-0.5	99	-0.53#
15 T	4-Nitrotoluene	500.000	499.005	0.2	100	-0.59#
16 T	3-Nitrotoluene	500.000	469.404	6.1	97	-0.66#
17 T	PETN	500.000	450.525	9.9	110	-0.88#

Evaluate Continuing Calibration Report - Not Found

Data File : Z:\HPCHEM1\HPLC_L\DATA\HL060413\HL005366.D Vial: 7
 Acq On : 04-Jun-2013, 18:02 Operator: QM
 Sample : HSTDICV0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : autoint1.e

Instrument :
 HPLC_L
 ClientSampleId :
 ICVHL060413

Method : Z:\HPCHEM1\HPLC_L\METHODS\HL060413.M
 Title :
 Last Update : Thu May 23 10:06:03 2013
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)
----------	--------	-------	------	-------	----------