

# Evaluate Continuing Calibration Report

Data File : Z:\HPCHEM1\HPLC\_L\DATA\HL060413\HL005367.D Vial: 1  
 Acq On : 04-Jun-2013, 18:34 Operator: QM  
 Sample : HSTDCCC0500 Inst : G1314A  
 Misc : Multiplr: 1.00  
 IntFile : autoint1.e

Instrument :  
 HPLC\_L  
 LabSampleId :  
 HSTDCCC0500

Method : Z:\HPCHEM1\HPLC\_L\METHODS\HL060413.M  
 Title :  
 Last Update : Thu May 23 10:06:03 2013  
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min  
 Max. RRF Dev : 25% Max. Rel. Area : 150%

|      | Compound                   | Amount  | Calc.   | %Dev | Area% | Dev(min) |
|------|----------------------------|---------|---------|------|-------|----------|
| 1 S  | 4-Nitroaniline             | 500.000 | 495.090 | 1.0  | 103   | -0.08    |
| 2 T  | HMX                        | 500.000 | 422.804 | 15.4 | 83    | -0.05    |
| 3 T  | RDX                        | 500.000 | 500.718 | -0.1 | 93    | -0.11    |
| 4 T  | 1,3,5-Trinitrobenzene      | 500.000 | 469.840 | 6.0  | 97    | -0.15    |
| 5 T  | 1,3-Dinitrobenzene         | 500.000 | 498.328 | 0.3  | 96    | -0.19    |
| 6 T  | 3,5-Dinitroaniline         | 500.000 | 492.035 | 1.6  | 99    | -0.19    |
| 7 T  | Nitrobenzene               | 500.000 | 493.692 | 1.3  | 100   | -0.19    |
| 8 T  | Tetryl                     | 500.000 | 459.799 | 8.0  | 107   | -0.27    |
| 9 T  | 2,4,6-Trinitrotoluene      | 500.000 | 470.346 | 5.9  | 98    | -0.25    |
| 10 T | 2-Amino-4,6-dinitrotoluene | 500.000 | 455.154 | 9.0  | 94    | -0.28    |
| 11 T | 4-Amino-2,6-dinitrotoluene | 500.000 | 508.826 | -1.8 | 98    | -0.32    |
| 12 T | 2,4-Dinitrotoluene         | 500.000 | 488.917 | 2.2  | 98    | -0.33    |
| 13 T | 2,6-Dinitrotoluene         | 500.000 | 480.118 | 4.0  | 93    | -0.35    |
| 14 T | 2-Nitrotoluene             | 500.000 | 476.395 | 4.7  | 94    | -0.57#   |
| 15 T | 4-Nitrotoluene             | 500.000 | 480.994 | 3.8  | 96    | -0.63#   |
| 16 T | 3-Nitrotoluene             | 500.000 | 475.383 | 4.9  | 99    | -0.66#   |
| 17 T | PETN                       | 500.000 | 409.128 | 18.2 | 100   | -0.92#   |

# Evaluate Continuing Calibration Report - Not Found

Data File : Z:\HPCHEM1\HPLC\_L\DATA\HL060413\HL005367.D Vial: 1  
 Acq On : 04-Jun-2013, 18:34 Operator: QM  
 Sample : HSTDCCC0500 Inst : G1314A  
 Misc : Multiplr: 1.00  
 IntFile : autoint1.e

Instrument :  
 HPLC\_L  
 LabSampleId :  
 HSTDCCC0500

Method : Z:\HPCHEM1\HPLC\_L\METHODS\HL060413.M  
 Title :  
 Last Update : Thu May 23 10:06:03 2013  
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min  
 Max. RRF Dev : 25% Max. Rel. Area : 150%

| Compound | Amount | Calc. | %Dev | Area% | Dev(min) |
|----------|--------|-------|------|-------|----------|
|----------|--------|-------|------|-------|----------|