

Evaluate Continuing Calibration Report

Data File : Z:\HPCHEM1\HPLC_L\DATA\HL060513\HL005401.D Vial: 1
 Acq On : 05-Jun-2013, 23:59 Operator: QM
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : autoint1.e

Instrument :
 HPLC_L
 LabSampleId :
 HSTDCCC0500

Method : Z:\HPCHEM1\HPLC_L\METHODS\HL060413.M
 Title :
 Last Update : Thu May 23 10:06:03 2013
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	500.000	538.678	-7.7	112	-0.10
2 T	HMX	500.000	424.566	15.1	84	-0.07
3 T	RDX	500.000	523.349	-4.7	97	-0.12
4 T	1,3,5-Trinitrobenzene	500.000	470.338	5.9	97	-0.19
5 T	1,3-Dinitrobenzene	500.000	482.596	3.5	93	-0.26
6 T	3,5-Dinitroaniline	500.000	475.576	4.9	96	-0.30
7 T	Nitrobenzene	500.000	467.769	6.4	94	-0.37
8 T	Tetryl	500.000	472.196	5.6	110	-0.62#
9 T	2,4,6-Trinitrotoluene	500.000	470.060	6.0	98	-0.57#
10 T	2-Amino-4,6-dinitrotoluene	500.000	462.235	7.6	95	-0.63#
11 T	4-Amino-2,6-dinitrotoluene	500.000	513.202	-2.6	99	-0.69#
12 T	2,4-Dinitrotoluene	500.000	488.753	2.2	98	-0.73#
13 T	2,6-Dinitrotoluene	500.000	530.350	-6.1	103	-0.77#
14 T	2-Nitrotoluene	500.000	497.920	0.4	98	-1.10#
15 T	4-Nitrotoluene	500.000	508.647	-1.7	102	-1.16#
16 T	3-Nitrotoluene	500.000	490.436	1.9	102	-1.27#
17 T	PETN	500.000	505.656	-1.1	124	-1.76#

Evaluate Continuing Calibration Report - Not Found

Data File : Z:\HPCHEM1\HPLC_L\DATA\HL060513\HL005401.D Vial: 1
 Acq On : 05-Jun-2013, 23:59 Operator: QM
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : autoint1.e

Instrument :
 HPLC_L
 LabSampleId :
 HSTDCCC0500

Method : Z:\HPCHEM1\HPLC_L\METHODS\HL060413.M
 Title :
 Last Update : Thu May 23 10:06:03 2013
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)
----------	--------	-------	------	-------	----------